

**Rockhaven Announces Expanded Inferred Mineral Resource Estimate of 1,358,000 oz Gold and 26,962,000 oz Silver at Klaza Property, Yukon**

**December 9, 2015 - Rockhaven Resources Ltd.** (TSX-V:RK) (“Rockhaven”) is pleased to announce an updated Mineral Resource estimate for its 100%-owned and road-accessible Klaza property, located in the Dawson Range Gold Belt of southern Yukon. The updated Mineral Resource estimate incorporates results from drilling in 2015 at the Klaza and BRX zones, including the newly modelled Eastern BRX Zone and a number of subsidiary veins associated with the main structures.

The updated Mineral Resource was prepared by AMC Mining Consultants (Canada) Ltd. This new estimate comprises a total Inferred Mineral Resource of 9,421,000 tonnes grading 4.48 g/t gold, 89.02 g/t silver, 0.75% lead and 0.95% zinc, and contains 1,358,000 oz gold, 26,962,000 oz silver, 155,417,000 lbs lead and 197,891,000 lbs zinc. The Mineral Resource has a gold equivalent metal content of 1,793,000 oz at a gold equivalent grade of 5.92 g/t. Results of this Mineral Resource estimate are summarized below.

**Table 1: Klaza Property - Total Inferred Mineral Resource Estimate Summary, December 9, 2015<sup>1,5</sup>**

	Tonnes (kt)	Grade					Contained Metal				
		Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Au EQ <sup>4</sup> (g/t)	Au (koz)	Ag (koz)	Pb (klb)	Zn (klb)	Au EQ <sup>4</sup> (koz)
Pit-Constrained <sup>2,3</sup>	2,366	5.12	94.51	0.93	1.18	6.71	389	7,190	48,258	61,475	510
Underground <sup>3</sup>	7,054	4.27	87.18	0.69	0.88	5.65	969	19,772	107,159	136,416	1,282
<b>Total</b>	<b>9,421</b>	<b>4.48</b>	<b>89.02</b>	<b>0.75</b>	<b>0.95</b>	<b>5.92</b>	<b>1,358</b>	<b>26,962</b>	<b>155,417</b>	<b>197,891</b>	<b>1,793</b>

<sup>1</sup> CIM definition standards were used for the Mineral Resource.

The Qualified Person is Adrienne Ross, P. Geo. of AMC Mining Consultants (Canada) Ltd.

Using drilling results to September 30, 2015.

<sup>2</sup> Near surface mineral resources are constrained by an optimized pit shell at a gold price of US\$1300 oz.

<sup>3</sup> Cut-off grades applied to the pit-constrained and underground resources are 1.3 g/t Au EQ and 2.75 g/t Au EQ respectively.

<sup>4</sup> Gold equivalent values were calculated using the following formula: Au EQ=Au+Ag/85+Pb/3.74+Zn/5.04 and assuming: US\$1300 oz Au, US\$20 oz Ag, US\$0.90 lb Pb and US\$0.90 lb Zn with recoveries for each metal of Au: 96%, Ag: 91%, Pb: 85% and Zn: 85%.

<sup>5</sup> Numbers may not add due to rounding. Mineral resources that are not mineral reserves do not have demonstrated economic viability. All metal prices are quoted in US\$ at an exchange rate of \$0.80 US to \$1.00 Canadian.

"The updated Mineral Resource clearly demonstrates the potential of the road accessible Klaza deposit" stated Matt Turner, President and CEO of Rockhaven. "Deposit-wide metallurgical testing shows silver, lead and zinc are important co-products that could enhance the economics of the deposit. There is a high probability for further expansion because the mineralized zones included in the Mineral Resource are open for extension along strike and to depth and there are other parallel zones on the property that have not yet been systematically evaluated. We look forward to future exploration at Klaza with the focus of continuing to add more ounces of high-grade mineralization at a very low discovery cost per ounce."

Compared to the Mineral Resource announced in January 2015, this represents an increase of 503,000 oz gold, using a 1.5 g/t gold-only cut-off applied to both the pit-

constrained and underground components in order to directly compare at the same cut-off value. The following table summarizes the tonnage and gold ounce differences between the January and December, 2015 Mineral Resource estimates.

**Table 2: Difference between January 2015 and December 2015 Inferred Gold Mineral Resources\***

	<b>Tonnes (Kt)</b>	<b>Au (g/t)</b>	<b>Contained Metal (koz Au)</b>	<b>Increase in ounces (koz Au)</b>	<b>% Increase</b>
January 2015	7,040	4.19	948	503	53
December 2015	10,899	4.14	1,451		

\*Details pertaining to the January 2015 Mineral Resource can be found in the Klaza Property Amended Technical Report dated June 19, 2015 which can be viewed at [www.sedar.com](http://www.sedar.com) under the Rockhaven profile or on Rockhaven's website.

The main reasons for the differences between the current estimate and the previous estimate are additional drilling information, modelling of subsidiary structures in the Central Klaza area, and inclusion of the Eastern BRX zone into the Mineral Resource area. The Mineral Resource has also been pit-constrained with different cut-off grades for the near surface and underground mineralization.

### **Resource Methodology**

The Mineral Resource model was re-interpreted following the successful 2015 drill program. Geological wire-frames representing high-grade veins were modeled in GEMS using available drill data. The model was constructed based upon structural controls, lithological boundaries and mineralogical domains.

A total of 71 domains were built in order to define the high-grade mineralization and different structural trends within each zone. Samples were capped for all variables within each domain where required. Block grades were estimated by Ordinary Kriging of composites within each domain. Densities of individual blocks were calculated using a regression formula based on density measurements taken and iron, lead, zinc and copper grades.

Tables showing the Mineral Resource at varying cut-off grades can be found attached. Additional tables summarizing the results of the Mineral Resource estimation for each zone can be found on Rockhaven's website at [www.rockhavenresources.com](http://www.rockhavenresources.com).

### **Metallurgy**

This Mineral Resource estimate has been prepared using updated metallurgical projections shown below, which reflect ongoing improvements from testing at Blue Coast Research Ltd., and especially recent successes in enhancing the quality of the lead and zinc concentrates.

**Table 3: Klaza Property - Metallurgical Projections**

	Grade (%)		Recovery (%)			
	Lead	Zinc	Gold	Silver	Lead	Zinc
<b>Doré</b>	-	-	87	11	-	-
<b>Lead concentrate</b>	60	3	4	53	85	-
<b>Zinc concentrate</b>	2	48	5	27	-	85
<b>Total to payable product</b>	n/a	n/a	96	91	85	85

The process flowsheet comprises conventional sequential flotation of lead, zinc and an arsenopyrite-enriched concentrate followed by pressure oxidation and leaching of the arsenopyrite concentrate, together with a leach of residual precious metals from the flotation tails. Precious metals are also leached from the lead concentrate to reduce gold grade sent to the smelter and increase recovery to doré. Final products from this process are precious-metal rich lead and zinc concentrates and gold as doré.

These projections are based on testwork comprising the Western Klaza, Western BRX, Central Klaza and Central BRX zones, and do not include the Eastern BRX. Ongoing metallurgical testwork is expected to demonstrate how the treatment process can be optimized to benefit from the inclusion of Eastern BRX material.

### **Qualified Persons**

The Mineral Resource estimate was completed by AMC Mining Consultants (Canada) Ltd. Adrienne Ross, Ph.D., P.Geo., Principal Geologist with AMC is the Qualified Person for the purpose of National Instrument 43-101 for all technical information pertaining to the current Mineral Resource.

Results for the metallurgical test program were provided and approved by Chris Martin, C.Eng., of Blue Coast Metallurgy Ltd. and Qualified Person for the purpose of National Instrument 43-101.

All other technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer, Cathro & Associates (1981) Limited and Qualified Person for the purpose of National Instrument 43-101.

The Qualified Persons under the terms of National Instrument 43-101 have reviewed the technical content of this press release for the Klaza property and have approved its dissemination.

Further details supporting the geological model, estimation procedure and metallurgical testwork will be available in a National Instrument 43-101 report authored by Adrienne Ross, Ph.D., P.Geo., of AMC Mining Consultants (Canada) Ltd., Chris J. Martin, C.Eng., of Blue Coast Metallurgy Ltd. and Matthew R. Dumala, P.Eng., of Archer, Cathro & Associates (1981) Limited. The report will be posted under the Rockhaven profile at [www.sedar.com](http://www.sedar.com) within 45 days from the date of this news release.

## **About Rockhaven**

Rockhaven Resources Ltd. is a tightly-held company focused on growth through the advancement of its Klaza project. For additional information concerning Rockhaven Resources Ltd. or its various exploration projects please visit Rockhaven's website at [www.rockhavenresources.com](http://www.rockhavenresources.com) or contact:

Matthew Turner  
President, CEO and Director  
**Rockhaven Resources Ltd.**  
T:604-687-2522  
[mturner@rockhavenresources.com](mailto:mturner@rockhavenresources.com)

NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

**Table 4: Klaza Property – Total Inferred Pit-Constrained Mineral Resource at Varying Cut-Off Grades<sup>1,2,4</sup>**

COG (AuEQ)	Tonnes (kt)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	AuEQ <sup>3</sup> (g/t)	Au (koz)	Ag (koz)	Pb (klb)	Zn (klb)	AuEQ <sup>3</sup> (koz)
0.5	2,427	5.01	92.40	0.90	1.16	6.57	391	7,211	48,399	61,878	513
1.0	2,413	5.03	92.89	0.91	1.16	6.60	391	7,207	48,374	61,806	512
1.3	2,366	5.12	94.51	0.93	1.18	6.71	389	7,190	48,258	61,475	510
1.5	2,329	5.18	95.78	0.94	1.19	6.79	388	7,172	48,110	61,227	509
2.0	2,250	5.32	98.22	0.96	1.22	6.97	385	7,106	47,600	60,520	504
2.5	2,125	5.53	102.12	0.99	1.27	7.25	378	6,977	46,608	59,491	495
2.75	2,071	5.62	103.72	1.01	1.29	7.37	374	6,906	46,133	58,935	491
3.0	2,023	5.70	105.42	1.03	1.31	7.48	371	6,855	45,748	58,347	486
3.5	1,904	5.90	109.77	1.07	1.34	7.74	361	6,719	44,787	56,383	474
4.0	1,729	6.20	116.16	1.13	1.39	8.14	344	6,457	43,142	52,826	453
5.0	1,414	6.83	128.08	1.24	1.47	8.96	310	5,823	38,742	45,712	407

**Table 5: Klaza Property – Total Inferred Underground Mineral Resource at Varying Cut-Off Grades<sup>1,4</sup>**

COG (AuEQ)	Tonnes (kt)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	AuEQ <sup>3</sup> (g/t)	Au (koz)	Ag (koz)	Pb (klb)	Zn (klb)	AuEQ <sup>3</sup> (koz)
1.0	10,354	3.40	69.66	0.55	0.73	4.51	1,132	23,191	126,518	167,211	1,503
1.5	10,036	3.48	71.22	0.57	0.75	4.62	1,122	22,981	125,240	165,363	1,489
2.0	9,030	3.72	75.92	0.60	0.79	4.93	1,080	22,041	119,835	157,228	1,431
2.5	7,612	4.10	83.66	0.66	0.85	5.43	1,004	20,476	111,544	143,428	1,330
2.75	7,054	4.27	87.18	0.69	0.88	5.65	969	19,772	107,159	136,416	1,282
3.0	6,470	4.46	91.25	0.72	0.91	5.91	928	18,982	102,383	129,119	1,228
3.5	5,396	4.86	99.70	0.78	0.96	6.44	844	17,296	92,381	114,652	1,117
4.0	4,489	5.25	109.59	0.86	1.04	6.98	758	15,817	85,073	103,390	1,007
5.0	3,297	5.93	125.50	0.98	1.14	7.90	629	13,301	71,504	82,622	837
6.0	2,214	6.81	145.07	1.13	1.25	9.07	485	10,328	55,401	61,007	646
7.0	1,503	7.75	163.48	1.32	1.40	10.30	375	7,901	43,589	46,317	498

<sup>1</sup> CIM definition standards were used for the Mineral Resource.

The Qualified Person is Adrienne Ross, P. Geo. of AMC Mining Consultants (Canada) Ltd.

Using drilling results to September 30, 2015.

<sup>2</sup> Near surface mineral resources are constrained by an optimized pit shell at a gold price of US\$1300 oz.

<sup>3</sup> Gold equivalent values were calculated using the following formula: AuEQ=Au+Ag/85+Pb/3.74+Zn/5.04 and assuming: US\$1300 oz Au, US\$20 oz Ag, US\$0.90 lb Pb and US\$0.90 lb Zn with recoveries for each metal of Au: 96%, Ag: 91%, Pb: 85% and Zn: 85%.

<sup>4</sup> Numbers may not add due to rounding. Mineral resources that are not mineral reserves do not have demonstrated economic viability. metal prices are quoted in US\$ at an exchange rate of \$0.80 US to \$1.00 Canadian.