
Rockhaven Steps-Out and Drills 17.01 g/t gold over 4.32 m at Klaza Project, Yukon

September 26, 2016 - Rockhaven Resources Ltd. (TSX-V:RK) ("Rockhaven") is pleased to announce additional results from the recently completed diamond drill program at its 100% owned Klaza gold-silver property, located in the Dawson Range Gold Belt of southern Yukon. The 2016 drill program focused on better defining and expanding near surface mineralization adjacent to open pits and declines proposed in a PEA released in March 2016.

Highlights include:

- **17.01 g/t gold and 121 g/t silver over 4.32 m – Hole 317**
- **3.48 g/t gold and 88.4 g/t silver over 8.09 m – Hole 318**
- **10.25 g/t gold and 52.9 g/t silver over 2.46 m – Hole 337**
- **6.61 g/t gold and 74.7 g/t silver over 2.45 m – Hole 338**

The majority of drilling was conducted within the Central and Eastern Klaza Zones, testing veins located along strike to the east and in the immediate footwall of the proposed open pit. These near-surface veins are particularly attractive targets because most are not included in the current mineral resource estimate or the proposed mine plan presented in the PEA.

“The PEA highlighted the importance of high-grade, open pitable resources to project economics. These Central and Eastern Klaza Zone results and the recently reported drill intersects from the Rex Zone demonstrate that additional discoveries of the type can continue to be made at Klaza,” stated Matt Turner, Rockhaven’s CEO. “Results from this drilling have exceeded our expectations, further illustrating the deposit’s excellent potential to grow.”

Central and Eastern Klaza Zones

The Central and Eastern Klaza zones are part of the Klaza Zone, one of eleven main vein systems identified in the core of the Klaza property. They comprise a laterally extensive complex of steeply dipping and anastomosing veins, breccias and sheeted veinlets emplaced within a 25 to 200 m wide structural corridor. Mineralization in the Central Klaza Zone has been traced over a 980 m strike length and from surface to a maximum depth of 325 m. Closely spaced mineralized veins occur within the footwall and hanging wall of the Central Klaza Zone. The Eastern Klaza Zone has been traced over a length of 850 m and is still open to the East. Both zones remain open to extension at depth.

The 2016 field program at the Klaza property consisted of 8,427 m drilled in 44 holes. Maps and sections can be viewed at Rockhaven’s website www.rockhavenresources.com.

Significant new drill results from the Central and Eastern Klaza zones are shown in Table I while results from other zones are presented in Table II.

Table I – Significant Assay Results from the Central and Eastern Klaza Zones

Drill Hole	Zone ID	From (m)	To (m)	Interval (m) ⁺	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)
KL-16-305	E-Klaza	41.76	47.85	6.09	1.71	17.7	0.066	0.259
and		43.84	44.92	1.08	4.09	51.8	0.182	0.731
and		126.11	126.64	0.53	2.65	17.0	0.315	0.341
KL-16-310	C-Klaza	9.16	13.40	4.24	4.21	45.6	0.678	0.559
including		11.56	12.71	1.15	13.10	119	1.480	1.225
and		38.55	38.90	0.35	13.90	339	6.180	5.880
and		50.56	52.35	1.79	2.85	26.8	0.133	0.254
including		51.85	52.35	0.50	8.60	41.3	0.179	0.433
and		76.60	78.55	1.95	1.78	40.7	0.588	0.804
and		225.16	225.76	0.60	8.76	47.7	0.110	0.082
KL-16-311	C-Klaza	29.57	30.08	0.51	3.44	50.5	1.630	1.405
and		59.32	60.88	1.56	3.94	43.7	0.900	1.415
and		77.12	77.47	0.35	5.42	148	3.120	2.050
and		94.00	96.28	2.28	1.20	15.2	0.260	0.635
KL-16-312	C-Klaza	32.19	32.80	0.61	4.42	118	0.977	1.590
and		55.15	57.68	2.53	3.01	72.5	1.944	1.367
including		55.15	55.97	0.82	6.40	151	3.190	2.140
and		79.52	80.11	0.59	5.47	46.3	0.264	0.380
and		82.22	83.00	0.78	7.18	61.6	0.614	1.805
and		97.00	99.67	2.67	2.21	19.4	0.140	0.525
and		105.49	107.31	1.82	1.50	2.29	0.066	0.074
KL-16-313	C-Klaza	47.00	47.60	0.60	4.03	62.6	0.374	0.813
KL-16-315	C-Klaza	6.17	6.77	0.60	2.89	18.6	0.151	0.513
and		9.88	11.00	1.12	7.64	94.0	0.999	1.200
and		18.18	18.68	0.50	4.77	14.0	0.164	0.918
and		21.10	23.61	2.51	2.54	11.6	0.176	0.404
and		75.17	75.74	0.57	2.03	45.8	0.530	0.517
and		123.57	124.23	0.66	8.00	85.9	0.225	0.567
and		156.70	159.10	2.40	3.55	31.7	0.079	0.316
including		158.40	159.10	0.70	11.50	91.6	0.131	0.144
and		164.60	166.19	1.59	3.20	20.0	0.025	0.023
		164.60	165.60	1.00	4.68	28.1	0.034	0.031
KL-16-316	C-Klaza	8.80	14.79	5.99	1.68	23.1	0.187	0.141
including		8.80	9.46	0.66	8.65	76.7	0.376	0.343
and		106.15	108.96	2.81	1.72	46.7	0.751	0.365
including		106.15	106.77	0.62	3.09	71.6	0.251	1.030
including		108.46	108.96	0.50	5.31	46.1	0.191	0.232
and		126.85	127.45	0.60	2.00	84.4	0.397	2.280

and		157.73	158.77	1.04	6.37	26.5	0.081	1.302
including		157.73	158.27	0.54	9.54	43.4	0.111	2.130
KL-16-317	C-Klaza	17.72	22.04	4.32	17.01	121.	2.458	4.590
including		17.72	19.34	1.62	12.45	41.5	0.468	2.840
including		20.65	22.04	1.39	38.00	325	7.050	10.700
and		56.00	57.34	1.34	2.02	43.0	1.067	1.708
including		56.92	57.34	0.42	5.28	131.0	3.240	5.020
and		105.77	106.35	0.58	5.15	86.5	1.635	2.620
and		126.52	127.06	0.54	3.01	45.5	1.310	4.810
KL-16-318	C-Klaza	16.68	24.77	8.09	3.48	88.4	1.394	0.594
including		17.75	18.59	0.84	10.35	196	3.140	2.280
and		24.21	24.77	0.56	33.20	957	14.950	3.400
and		31.66	32.34	0.68	1.52	39.6	0.701	0.712
and		36.21	36.80	0.59	5.96	98.1	1.770	2.360
and		51.43	52.57	1.14	1.50	8.37	0.241	0.154
and		67.65	68.15	0.50	3.22	49.7	0.682	0.382
KL-16-319	C-Klaza	60.16	68.19	8.03	1.11	14.3	0.094	0.364
including		60.16	60.78	0.62	2.20	64.4	0.414	1.280
including		64.33	65.44	1.11	1.71	7.87	0.101	0.988
including		67.37	68.19	0.82	5.56	59.8	0.123	0.340
KL-16-321	C-Klaza	89.65	90.17	0.52	9.85	192	0.181	0.232
KL-16-323	C-Klaza	61.72	63.62	1.90	4.88	51.4	0.443	2.420
including		61.72	62.24	0.52	15.25	115	1.115	7.990
and		135.40	136.50	1.10	4.06	6.96	0.199	0.877
and		156.26	156.86	0.60	2.53	30.8	0.084	5.240
and		186.46	189.22	2.76	5.98	40.9	0.388	1.232
including		186.46	186.88	0.42	18.90	197	1.675	6.370
including		188.71	189.22	0.51	16.60	55.0	0.667	1.315
and		196.23	196.73	0.50	2.80	44.0	0.072	1.850
and		272.11	273.26	1.15	1.76	16.6	0.247	0.664
		274.40	275.00	0.60	1.94	20.2	0.045	1.525
KL-16-325	E-Klaza	12.52	15.32	2.80	1.74	2.83	0.059	0.286
including		12.52	13.16	0.64	5.69	7.98	0.119	0.776
and		45.60	46.16	0.56	3.00	17.2	0.092	0.409
and		49.69	50.21	0.52	4.08	10.6	0.098	0.386
and		88.63	90.72	2.09	3.50	37.2	0.119	0.674
including		90.06	90.72	0.66	8.82	95.4	0.116	0.562
and		128.58	130.09	1.51	6.36	299	0.263	0.515
KL-16-326	E-Klaza	27.12	27.60	0.48	3.39	12.4	0.010	0.048
and		48.20	48.71	0.51	2.79	82.8	0.107	0.047
and		51.30	52.42	1.12	1.50	117	0.089	0.053
and		209.50	210.73	1.23	3.39	74.1	0.574	0.955

KL-16-327	E-Klaza	13.48	14.37	0.89	1.51	9.58	0.095	0.199
and		48.84	51.56	2.72	2.47	6.76	0.140	0.274
including		48.84	49.50	0.66	8.16	25.3	0.548	0.976
and		77.31	77.70	0.39	9.91	304	0.685	1.690
and		85.52	89.34	3.82	1.88	44.4	0.263	0.366
including		86.34	87.00	0.66	6.00	162	0.255	0.447
KL-16-329	E-Klaza	62.40	63.71	1.31	3.08	273	0.218	0.647
including		62.40	63.17	0.77	4.82	446	0.315	0.839
and		72.49	74.27	1.78	5.41	129	0.367	0.820
including		73.72	74.27	0.55	10.15	359	0.523	1.200
and		109.48	110.00	0.52	3.15	24.9	0.066	0.145
KL-16-331	C-Klaza	59.00	60.05	1.05	4.35	16.2	0.048	0.495
and		96.66	97.20	0.54	9.64	37.9	0.101	0.113
and		117.38	117.96	0.58	3.08	34.0	0.615	0.667
and		129.05	129.78	0.73	2.48	8.44	0.040	0.092
KL-16-334	C-Klaza	45.79	47.2	1.41	5.54	95.1	0.470	1.218
including		45.79	46.20	0.41	14.80	264	0.766	2.620
and		51.94	52.95	1.01	1.84	95.7	1.649	1.333
KL-16-335	C-Klaza	56.21	57.00	0.79	4.38	445	6.040	6.720
KL-16-337	C-Klaza	92.00	96.40	4.40	4.01	36.0	0.670	0.941
including		94.60	96.40	1.80	8.09	84.0	1.537	2.120
and		129.07	129.94	0.87	2.61	16.6	0.065	0.123
and		146.83	147.50	0.67	2.73	16.2	0.046	0.326
and		152.00	152.54	0.54	3.07	17.2	0.140	0.514
and		164.59	167.05	2.46	10.25	52.9	0.172	0.700
including		165.91	167.05	1.14	19.15	104	0.297	1.415
KL-16-338	C-Klaza	21.02	25.16	4.14	2.60	22.0	0.463	0.496
including		21.02	22.28	1.26	6.76	49.1	1.075	1.060
and		35.13	35.62	0.49	7.14	73.6	0.576	2.550
and		53.26	57.74	4.48	2.64	13.7	0.253	0.415
including		56.97	57.74	0.77	11.60	45.4	0.617	1.770
and		64.12	67.57	3.45	6.61	74.7	1.398	1.154
including		64.83	65.28	0.45	31.60	164	3.390	3.670
including		66.93	67.57	0.64	8.51	222	4.200	2.400
and		93.24	94.35	1.11	3.03	65.9	1.110	0.964

+ Represents the diamond drill hole or trench sample length. True widths are estimated to be approximately 80-90% of the interval.

C-Klaza represents Central Klaza Zone.

E-Klaza represents Eastern Klaza Zone.

Table II –Significant Assays Results from Other Zones

Drill Hole	Zone ID	From (m)	To (m)	Interval (m) ⁺	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)

KL-16-301	E-BRX	47.85	48.93	1.08	1.21	27.6	0.025	0.045
KL-16-302		43.80	44.57	0.77	1.68	49.7	0.032	0.053
and		81.82	83.16	1.34	1.30	10.5	0.064	0.115
and	AEX	100.30	100.96	0.66	12.95	62.6	0.525	0.606
and		109.17	110.30	1.13	4.22	30.1	0.148	0.340
including		109.17	109.80	0.63	7.07	34.9	0.255	0.405
KL-16-303	AEX	107.50	108.50	1.00	1.91	21.7	0.148	1.104
and		110.67	111.15	0.48	3.54	25.4	0.222	2.310
and	E-BRX	158.47	159.33	0.86	3.82	26.5	0.213	2.545
including		158.88	159.33	0.45	6.79	48.6	0.396	4.840
and		191.44	192.92	1.48	1.06	4.29	0.053	0.111
and		196.80	198.72	1.92	1.64	24.7	0.060	0.072
including		196.80	197.74	0.94	2.71	18.0	0.064	0.117
and		200.84	201.23	0.39	4.15	3.12	0.032	0.026
and		215.32	216.14	0.82	2.93	240	0.072	0.030
KL-16-307	BYG	39.14	39.95	0.81	1.31	110	3.210	2.583
and		75.29	75.62	0.33	3.63	483	12.450	4.060
and		108.15	109.58	1.43	2.04	23.2	0.510	0.690
KL-16-308	BYG	70.34	71.12	0.78	0.40	102	2.100	0.611
KL-16-328	Stroshein	23.47	25.94	2.47	2.37	15.2	0.040	0.108
KL-16-330	Stroshein	77.24	78.93	1.69	1.46	2.60	0.009	0.022
KL-16-332	Stroshein	144.58	145.02	0.44	4.03	175	1.340	4.830
and		154.91	157.12	2.21	1.40	11.1	0.142	0.190
KL-16-333	Stroshein	33.90	35.35	1.45	3.74	54.4	0.032	0.018
and		96.00	96.80	0.80	1.33	38.3	0.116	0.467
and		136.25	137.97	1.72	1.75	1.08	0.009	0.010
KL-16-336	Stroshein	109.89	110.45	0.56	3.23	248	0.660	0.523
and		152.75	153.45	0.70	1.44	6.55	0.067	0.118

+ Represents the diamond drill hole or trench sample length. True widths are estimated to be approximately 80-90% of the interval. Drill hole KL-16-304 targeted the Pika Zone and did not intersect significant mineralization

QAQC

All analyses for rock and core samples from the 2016 program were performed by ALS Minerals with sample preparation in North Vancouver or Terrace and assays and geochemical analyses in North Vancouver. Core samples were routinely analyzed for gold by fire assay followed by atomic absorption (Au-AA24) and 48 other elements by inductively coupled plasma-mass spectrometry (ME-MS61). Samples that exceeded the detection limits of the routine methods were assayed for silver, copper, lead and zinc by inductively coupled plasma-atomic emission spectroscopy (Ag/Cu/Pb/Zn - OG62) and

gold by gravimetric analysis (Au-GRA22). Rigorous procedures were in place regarding sample collection, chain of custody and data entry. Certified assay standards, coarse reject duplicates, field duplicates and blanks were routinely inserted into the sample stream to ensure integrity of the assay process. All of the results reported have passed the QAQC screening.

The 2016 program was managed by Archer, Cathro & Associates (1981) Limited (Archer Cathro). Technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer Cathro and qualified person for the purpose of National Instrument 43-101.

About Rockhaven

Rockhaven Resources Ltd. is a mineral exploration company focused on growth through the advancement of its Klaza project. For additional information concerning Rockhaven or its Klaza project please visit Rockhaven's website at www.rockhavenresources.com.

Matthew Turner
President, CEO and Director
Rockhaven Resources Ltd.
T:604-687-2522
mturner@rockhavenresources.com

Investor Relations
Caleb Jeffries
Kin Communications Inc.
(604) 684-6730 / 1 (866) 684-6730 (toll-free)
RK@kincommunications.com

NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.