

---

## **Rockhaven Drills Multiple Mineralized Veins Outside of Klaza Resource Area at its Klaza Gold-Silver Project, Yukon**

**January 16, 2020 - Rockhaven Resources Ltd.** (TSX-V:RK) (“Rockhaven”) is pleased to announce the final assay results from the 2019 diamond drill program at its 100%-owned and road accessible Klaza property, located in the Dawson Range Gold Belt of southern Yukon. The 2019 program successfully evaluated targets that lie adjacent to the zones containing the 2018 mineral resource estimate. Results in this release are from 24 holes, which were designed to better define the Eastern Zones, and two exploration holes that targeted the nearby Chevron and Dickson zones.

“Exploration peripheral to the plus million ounce Klaza gold-silver deposit continues to return high-grade, near-surface drill results that demonstrate significant resource expansion potential,” stated Matt Turner, Rockhaven’s CEO. “Additionally, Rockhaven’s treasury remains strong with over \$2.8 million and an exciting 2020 drill program and updated project economics on the horizon.”

Definition drilling was completed in the Eastern portions of the BRX, AEX, Stroshein, and Pika zones, collectively known as the Eastern Zones, **where broad bands of fracture-style mineralization flank discrete structures that extend eastward from the known mineral resources.** The 2019 drilling focused on the near-surface portions of these structures (from surface to ~125 m depth). Multiple veins were intersected in all of the holes. Gold in sulphide veins within the Eastern Zones is amenable to cyanide leaching, with 81% of the gold recovered to doré. Oxidized near-surface mineralization has not been systematically tested but should yield even better leaching results.

A total of 67 holes have been drilled in the 800 m by 500 m Eastern Zones target area. Mineralization is open for expansion laterally in three directions and to depth.

**All of the mineralized veins announced in this news release are outside of the current Klaza mineral resources. Assay highlights from this news release include:**

- **19.40 g/t gold and 240.0 g/t silver over 0.69 m – Hole 460**
- **1.53 g/t gold and 10.2 g/t silver over 7.05 m – Hole 465**
- **0.67 g/t gold and 8.7 g/t silver over 29.40 m – Hole 450**
- **3.43 g/t gold and 20.4 g/t silver over 2.72 m – Hole 451**
- **15.90 g/t gold and 74.6 g/t silver over 0.55 m – Hole 454**
- **8.05 g/t gold and 10.6 g/t silver over 1.09 m – Hole 466**
- **2.52 g/t gold and 111.0 g/t silver over 2.05 m – Hole 447**
- **3.07 g/t gold and 13.7 g/t silver over 2.28 m – Hole 441**
- **11.50 g/t gold and 90 g/t silver over 0.50 m – Hole 435**
- **0.58 g/t gold and 9.2 g/t silver over 19.54 m – Hole 448**

The 2019 field program at the Klaza property consisted of 5,750 m drilled in 33 holes. Maps, sections and core photos can be viewed at Rockhaven's website [www.rockhavenresources.com](http://www.rockhavenresources.com). The results from seven holes were previously reported on December 11, 2019. Significant new drill results from the Eastern Zone are shown in Table I below.

Table I: Significant New Drill Intercepts from 2019 Drilling at the Eastern Zones

Drill Hole	From (m)	To (m)	Interval (m) <sup>+</sup>	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)
KL-19-435	6.10	9.66	3.56	1.63	21.5	0.16	0.32
and	31.88	32.30	0.42	5.26	72.8	0.25	0.07
and	41.79	42.09	0.30	10.70	15.2	0.08	0.48
and	70.46	70.96	<b>0.50</b>	<b>11.50</b>	<b>90.4</b>	<b>0.07</b>	<b>0.06</b>
and	89.31	89.89	0.58	1.20	9.9	0.05	0.35
and	98.92	99.75	0.83	3.23	106.0	0.13	0.38
and	101.92	102.57	0.65	1.24	4.2	0.01	0.01
KL -19-437	30.52	31.07	0.55	1.81	21.4	0.24	0.55
and	33.12	33.75	0.63	1.70	18.0	0.22	0.92
and	64.22	65.00	0.78	1.11	19.6	0.02	0.08
and	102.68	103.12	0.44	3.36	12.6	0.07	0.09
KL -19-438	16.97	17.30	0.33	8.89	516.0	5.39	0.10
and	77.23	77.57	0.34	1.00	93.9	1.34	3.73
and	111.60	111.92	0.32	4.20	19.2	0.22	1.36
and	114.18	114.49	0.31	5.70	226.0	6.20	2.27
KL -19-440	34.92	35.54	0.62	3.66	8.3	0.08	0.71
and	48.54	48.84	0.30	8.74	24.4	0.16	1.52
and	94.35	94.65	0.30	3.58	50.9	0.07	1.52
and	100.77	101.32	0.55	1.60	7.7	0.03	0.08
and	105.16	105.46	0.30	1.83	4.3	0.02	0.02
KL -19-441	31.82	32.64	0.82	1.31	60.0	1.39	2.95
and	63.29	65.57	<b>2.28</b>	<b>3.07</b>	<b>13.7</b>	<b>0.08</b>	<b>0.26</b>
incl.	63.29	63.66	0.37	13.85	25.5	0.21	0.27
incl.	65.09	65.57	0.48	3.52	39.4	0.09	0.51
KL -19-442	44.67	45.68	1.01	1.40	12.2	0.08	0.37
and	48.33	48.64	0.31	3.19	44.8	0.85	1.57
and	54.40	54.70	0.30	1.30	11.1	0.01	0.03
and	90.00	90.35	0.35	1.29	0.7	0.01	0.01
and	93.34	93.75	0.41	1.32	7.8	0.09	0.22
KL -19-444	36.86	37.26	0.40	1.94	9.1	0.06	0.24
and	52.60	52.90	0.30	1.04	14.8	0.12	0.34
and	88.97	89.27	0.30	1.58	10.2	0.34	0.57
and	96.57	96.90	0.33	1.84	102.0	0.08	0.13
and	118.94	119.26	0.32	3.07	23.8	0.29	1.60

KL -19-445	15.70	16.00	0.30	1.20	3.1	0.07	0.18
and	18.52	18.82	0.30	2.48	17.1	0.03	0.06
and	108.43	108.84	0.41	7.83	66.2	0.21	0.89
and	115.37	115.71	0.34	3.18	42.2	0.22	1.20
and	119.80	120.10	0.30	8.84	6.4	0.03	0.16
KL -19-446	52.00	55.00	3.00	0.70	6.6	0.11	0.15
incl.	52.00	52.60	0.60	1.22	10.9	0.39	0.23
and	127.38	127.68	0.30	3.44	18.2	0.38	1.87
KL -19-447	28.35	28.65	0.30	2.93	7.9	0.18	0.53
and	31.20	31.50	0.30	2.28	18.2	0.92	0.90
and	49.10	51.15	<b>2.05</b>	<b>2.52</b>	<b>111.0</b>	<b>1.00</b>	<b>1.88</b>
incl.	50.60	51.15	0.55	7.18	325.0	3.41	6.29
and	55.84	57.50	1.66	2.61	157.0	0.30	0.25
incl.	57.2	57.50	0.30	8.37	399.0	1.34	1.00
and	84.40	85.00	0.60	1.36	31.8	0.08	0.06
and	118.73	119.18	0.45	1.83	13.0	0.05	0.76
KL -19-448	12.63	13.17	0.54	1.42	23.7	0.96	0.30
and	47.35	47.65	0.30	1.20	24.3	0.22	1.40
and	71.54	71.84	0.30	1.40	8.7	0.26	1.71
and	101.10	101.86	0.76	1.96	37.4	0.44	1.02
and	117.65	137.19	<b>19.54</b>	<b>0.58</b>	<b>9.2</b>	<b>0.14</b>	<b>0.27</b>
incl.	118.50	119.50	1.00	2.87	22.5	0.43	0.78
incl.	127.50	128.60	1.10	1.41	16.2	0.30	0.39
incl.	135.00	136.00	1.00	1.25	14.6	0.18	0.55
incl.	136.50	137.19	0.69	1.04	23.8	0.28	0.53
and	149.85	150.50	0.65	1.30	3.5	0.02	0.01
KL -19-450	73.10	102.50	<b>29.40</b>	<b>0.67</b>	<b>8.7</b>	<b>0.09</b>	<b>0.23</b>
incl.	73.10	74.20	1.10	4.63	66.0	0.98	3.02
incl.	81.50	84.00	2.50	1.21	14.6	0.17	0.24
incl.	92.96	93.72	0.76	4.60	51.1	0.62	1.51
incl.	100.00	102.50	2.50	1.27	6.2	0.03	0.06
KL -19-451	96.20	97.20	1.00	1.98	4.6	0.14	0.22
and	105.20	105.86	0.66	1.18	2.0	0.01	0.01
and	115.28	118.00	<b>2.72</b>	<b>3.43</b>	<b>20.4</b>	<b>0.24</b>	<b>3.71</b>
incl.	116.47	117.19	0.72	9.60	36.3	0.16	12.05
KL -19-452	31.87	34.25	2.38	1.47	46.9	1.05	1.76
incl.	31.87	32.40	0.53	4.38	162.0	4.31	6.73
and	96.60	100.40	3.80	1.09	27.4	0.51	1.68
and	158.79	159.25	0.46	2.61	14.1	0.45	0.47
and	165.15	165.90	0.75	2.15	14.9	0.23	0.60
KL -19-453	46.25	46.55	0.30	1.20	3.4	0.04	0.44
and	77.28	77.80	0.52	1.64	26.4	0.48	0.56

and	85.07	85.37	0.30	1.84	11.8	0.06	0.13
and	89.00	90.47	1.47	0.85	92.9	0.15	0.31
and	109.40	111.35	1.95	1.59	83.5	0.24	0.79
incl.	109.40	109.83	0.43	4.33	306.0	0.82	1.28
KL -19-454	84.45	84.85	0.40	1.00	23.0	0.04	0.03
and	99.85	100.40	<b>0.55</b>	<b>15.90</b>	<b>74.6</b>	<b>0.96</b>	<b>2.35</b>
and	146.50	148.30	1.80	1.14	5.0	0.01	0.01
KL -19-456	113.75	114.60	0.85	2.21	7.5	0.01	0.02
and	121.40	122.30	0.90	1.34	377.0	1.48	1.54
KL -19-457	17.10	18.40	1.30	1.17	1.4	0.01	0.03
and	23.70	26.20	2.50	1.88	6.2	0.02	0.13
incl.	23.70	24.40	0.70	4.70	3.4	0.03	0.13
and	31.25	32.00	0.75	4.17	68.9	0.06	0.05
and	85.00	86.26	1.26	1.24	17.4	0.14	0.64
and	99.27	100.05	0.78	2.49	5.4	0.01	0.03
and	103.73	104.14	0.41	1.54	9.9	0.03	0.02
and	105.60	106.30	0.70	1.11	2.9	0.01	0.01
KL -19-458	88.33	88.66	0.33	5.41	39.8	0.34	0.10
and	108.95	109.33	0.38	1.87	5.0	0.02	0.03
and	125.81	126.35	0.54	1.00	9.0	0.09	0.58
KL -19-460	28.31	29.00	<b>0.69</b>	<b>19.40</b>	<b>240.0</b>	<b>0.16</b>	<b>0.04</b>
and	49.50	50.30	0.80	3.53	2.9	0.00	0.01
and	69.40	70.00	0.60	1.94	22.3	0.03	0.03
and	83.82	84.25	0.43	10.75	51.8	0.21	1.48
KL -19-461	25.50	26.30	0.80	1.20	36.4	0.06	0.08
and	59.75	60.10	0.35	2.17	23.8	0.03	0.01
and	71.70	73.20	1.50	4.04	3.2	0.00	0.01
and	95.90	96.39	0.49	2.19	13.0	0.12	0.30
KL -19-463	43.00	44.50	1.50	3.38	5.0	0.01	0.01
and	51.15	53.70	2.55	1.95	11.5	0.02	0.03
incl.	51.15	51.45	0.30	13.30	57.6	0.07	0.10
and	80.00	82.80	2.80	2.26	0.9	0.01	0.01
incl.	80.00	80.30	0.30	19.05	4.8	0.01	0.01
and	99.35	99.65	0.30	2.05	16.8	0.05	0.07
and	104.05	106.25	2.20	1.25	9.3	0.04	0.08
and	108.30	109.00	0.70	1.10	17.0	0.02	0.02
KL -19-464	27.90	28.48	0.58	3.89	225.0	0.36	0.15
and	62.80	63.10	0.30	1.19	26.8	0.06	0.07
and	91.40	93.65	2.25	1.53	3.5	0.03	0.07
incl.	93.35	93.65	0.30	7.33	9.8	0.09	0.23
and	125.80	127.25	1.45	2.35	397.0	0.85	1.38

incl.	126.42	127.25	0.83	3.64	691.0	1.47	2.36
KL -19-466	6.91	8.00	<b>1.09</b>	<b>8.50</b>	<b>10.6</b>	<b>0.37</b>	<b>0.58</b>
and	14.65	15.38	0.73	1.10	17.2	0.48	1.51
and	25.34	26.00	0.66	1.10	50.5	1.00	2.47
and	29.00	29.63	0.63	1.06	8.1	0.35	0.16
and	68.55	69.44	0.89	1.10	10.1	0.07	0.07

<sup>+</sup> Represents the diamond drill hole core length. True widths are estimated to be approximately 80-90% of the interval.

Two drill holes tested the eastern projections of the Chevron and Dickson zones, located 500 m south of the Klaza mineral resource area. Drilling successfully expanded these zones to the east, where mineralization appears to be similar in nature to that in the Eastern Zones. Significant drill results from these two exploration holes are shown in Table II below.

Table II: Significant New Drill Intercepts from 2019 Drilling at the Chevron and Dickson Zones

Drill Hole	From (m)	To (m)	Interval (m) <sup>+</sup>	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)
KL -19-465	74.63	81.68	<b>7.05</b>	<b>1.53</b>	<b>10.2</b>	<b>0.07</b>	<b>0.16</b>
incl.	74.63	74.93	0.30	11.40	48.2	0.36	3.32
incl.	80.35	81.68	1.33	4.15	23.1	0.03	0.02
and	128.43	128.79	0.36	1.00	81.8	1.34	1.28
KL -19-467	6.75	7.45	0.70	1.18	8.6	0.01	0.06
and	24.38	24.72	0.34	2.47	257.0	0.29	1.17
and	55.15	57.30	2.15	1.56	8.0	0.12	0.33
and	89.27	90.00	0.73	3.72	18.0	0.01	0.01
and	96.20	96.82	0.62	1.24	38.5	2.15	1.39
and	102.56	103.18	0.62	1.07	36.8	0.02	0.07
and	124.58	125.08	0.50	6.49	17.8	0.25	0.61
and	149.92	150.74	0.82	1.20	2.6	0.01	0.03

<sup>+</sup> Represents the diamond drill hole core length. True widths are estimated to be approximately 80-90% of the interval.

## Qualified Persons

Technical information in this news release has been approved by Matthew R. Dumala, P.Eng., a geological engineer with Archer, Cathro & Associates (1981) Limited and qualified person for the purpose of National Instrument 43-101.

## About Rockhaven

Rockhaven Resources Ltd. is a mineral exploration company focused on growth through the advancement of its Klaza project. The Klaza project host a resource estimate which includes indicated resources of **4.5 Mt containing 686,000 oz gold and 14,071,000 oz silver at grades of 4.8 g/t gold and 98 g/t silver**, and inferred resources of **5.7 Mt containing 507,000 oz gold and 13,901,000 oz silver at grades of 2.8 g/t gold and 76 g/t silver** (see Klaza Property Technical Report dated August 2, 2018). For additional information concerning Rockhaven or its Klaza project please visit Rockhaven's website at [www.rockhavenresources.com](http://www.rockhavenresources.com).

Matthew Turner

President, CEO and Director  
**Rockhaven Resources Ltd.**  
T:604-687-2522  
[mturner@rockhavenresources.com](mailto:mturner@rockhavenresources.com)

NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

*This news release may contain forward looking statements based on assumptions and judgments of management regarding future events or results that may prove to be inaccurate as a result of exploration and other risk factors beyond its control, and actual results may differ materially from the expected results.*