

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-10-02	Central Klaza	25.47	28.08	2.61	0.51	52.1
and	FW Central Klaza	52.38	55.79	3.41	0.96	10.8
KL-10-03	HW Central Klaza	32.96	35.50	2.54	4.34	71.2
and		62.08	112.36	50.28	0.98	23.5
including		62.08	64.74	2.67	2.41	130
and including		Central Klaza	86.93	106.68	19.75	2.29
and including	86.93		89.55	2.62	13.05	143
KL-10-04	Central BRX	97.60	98.75	1.15	1.55	23.9
and		109.83	111.00	1.17	5.07	53.6
KL-10-05	BYG	20.41	48.9	28.49	0.77	14.8
Including		20.41	24.38	3.97	4.57	51.6
and	HW Central Klaza	79.2	81.16	1.96	1.47	95.1
KL-10-06	Pika	21.64	25.00	3.36	32.52	34.3
KL-10-07	HW Central Klaza	33.50	34.50	1.00	1.91	38.5
and		57.80	58.80	1.00	5.51	107
and	Central Klaza	128.00	164.50	36.50	3.23	117.7
including		134.00	149.30	15.30	7.20	260
and including		138.50	139.50	1.00	39.30	709
and including		146.77	149.30	2.53	24.70	1087
KL-10-08	Eastern Klaza	12.5	15.54	3.04	2.51	6.7
and		35	36	1	14.25	15.6
KL-10-09	Pika	25.40	26.40	1.00	2.89	78.0
KL-10-10	Central Klaza	137.00	211.30	74.30	0.70	8.3
including		137.00	146.30	9.30	1.51	7.4

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and including		137.00	139.15	2.15	3.81	21.5
and including		145.10	146.30	1.20	4.12	7.8
and including	FW Central Klaza	178.00	211.30	33.30	1.04	14.7
and including		178.00	179.00	1.00	8.78	182
and including		203.00	204.00	1.00	3.81	19.8
and including		210.00	211.30	1.30	12.90	181
KL-10-11	AEX	88.00	89.00	1.00	0.45	99.2
and		110.20	111.20	1.00	2.25	25.0
and	Eastern BRX	182.00	189.60	7.60	0.89	9.20
including		182.00	183.00	1.00	2.86	3.7
and including		188.66	189.60	0.94	3.43	66.8
and	FW Eastern BRX	199.20	200.20	1.00	1.48	43.6
and		218.00	219.00	1.00	2.66	8.2
KL-11-12	HW Central Klaza	107.08	108.10	1.02	3.06	253
and	Central Klaza	194.40	196.36	1.96	1.98	49.0
and	FW Central Klaza	217.34	225.80	8.46	1.75	42.0
including		221.00	225.80	4.80	2.80	70.0
and		257.70	258.72	1.02	3.70	7.0
KL-11-13	Central Klaza	89.23	94.00	4.77	1.71	34.0
and		137.23	139.16	1.93	1.13	37.0
and		156.45	203.61	47.16	0.52	6.0
including		156.45	165.46	9.01	1.24	12.0
KL-11-14	HW Central Klaza	120.10	121.10	1.00	1.75	32.0
and		155.13	156.07	0.94	0.58	135
and	Central Klaza	231.76	232.79	1.03	7.99	45.0
and	FW Central Klaza	289.68	307.46	17.78	1.14	12.0
including		289.68	297.79	8.11	2.39	22.0
KL-11-15	Central Klaza	76.66	87.12	10.46	4.24	15.0

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	FW Central Klaza	109.80	111.18	1.38	1.98	56.0
KL-11-16	HW Central Klaza	55.28	57.00	1.72	1.00	16.0
and	Central Klaza	79.71	94.82	15.11	2.89	49.0
including		88.04	94.82	6.78	6.09	101
KL-11-17	Central Klaza	141.42	142.50	1.08	9.68	211
and		207.27	219.30	12.03	3.78	25.0
including		215.36	219.30	3.94	11.25	72.0
and		267.11	269.58	2.47	3.98	20.0
KL-11-18	Central Klaza	72.48	75.26	2.78	0.94	12.0
and		131.22	172.77	41.55	0.75	18.0
including		131.22	136.25	5.03	1.07	84.0
and		153.00	172.77	19.77	1.03	9.0
KL-11-19	Central Klaza	176.28	177.79	1.51	1.00	19.0
and		204.49	234.91	30.42	1.27	12.0
including		232.02	234.91	2.89	7.81	43.0
KL-11-20	HW Central Klaza	61.29	62.37	1.08	0.57	83.0
and		118.12	119.14	1.02	1.48	78.0
and		213.94	215.79	1.85	1.84	3.0
and		226.55	228.21	1.66	1.29	55.0
and	Central Klaza	262.00	263.00	1.00	11.90	12.0
and		274.30	277.22	2.92	1.99	16.0
and	FW Central Klaza	314.29	317.34	3.05	1.54	7.0
and		345.47	356.32	10.85	1.75	11.0
KL-11-21	Central Klaza	133.00	145.34	12.34	1.25	31.0
including		133.00	134.92	1.92	7.24	176
and	FW Central Klaza	166.48	171.88	5.40	2.37	23.0
KL-11-22	Central BRX	56.20	61.40	5.20	0.47	124
KL-11-23	Central BRX	109.00	110.55	1.55	3.99	229

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-11-24	Central BRX	72.00	73.37	1.37	3.15	72.0
KL-11-25	HW Central Klaza	52.48	64.42	11.94	2.31	41.0
including		52.48	58.75	6.27	4.22	75.0
and	Central Klaza	94.70	95.71	1.01	7.48	445
KL-11-26	Central Klaza	72.01	83.34	11.33	0.98	15.0
KL-11-27	HW Central Klaza	101.28	114.33	13.05	2.27	15.0
including		101.28	103.22	1.94	8.56	77.0
and	Central Klaza	143.82	170.03	26.21	1.76	26.0
including		144.37	145.16	0.79	27.40	549
and including		155.93	157.53	1.60	6.43	50.0
and including		168.57	170.03	1.46	7.41	54.0
and		FW Central Klaza	211.99	213.43	1.44	10.19
including	211.99		212.60	0.61	21.30	39.0
KL-11-28	HW Central Klaza	72.48	75.10	2.62	1.60	32.0
and	Central Klaza	202.00	202.63	0.63	5.41	54.0
and	FW Central Klaza	253.66	255.12	1.46	10.25	585
KL-11-29	Central BRX	31.90	41.24	9.34	1.95	147
including		31.90	34.90	3.00	3.29	407
KL-11-31	Central Klaza	229.73	231.72	1.99	2.58	19.0
and		248.52	249.53	1.01	5.07	98.0
KL-11-32	HW Central Klaza	70.36	71.34	0.98	0.68	98.0
and	Central Klaza	117.09	118.04	0.98	4.20	16.0
and		122.81	123.43	0.62	2.47	14.0
KL-11-33	Central BRX	120.30	121.64	1.34	5.51	180

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-11-34	HW Central Klaza	16.52	18.53	2.01	1.48	33.0
and	Central Klaza	148.95	157.42	8.47	1.31	66.0
including		156.28	157.42	1.14	5.84	122
KL-11-35	Central BRX	112.42	115.44	3.02	3.03	84.0
and		126.74	130.60	3.86	5.85	92.0
KL-11-36	HW Central Klaza	59.42	62.46	3.04	0.41	165
and	Central Klaza	136.00	138.00	2.00	1.61	102
and		174.00	176.02	2.02	1.48	32.0
and	FW Central Klaza	242.71	245.00	2.29	1.37	32.0
KL-11-37	Western BRX	81.13	95.93	14.80	5.43	50.0
including		81.13	82.83	1.70	11.05	133
and including		88.95	90.17	1.22	34.00	298
and including		94.68	95.93	1.25	13.10	97.0
KL-11-38	Central Klaza	64.82	84.22	19.40	0.99	25.0
including		66.80	69.70	2.90	2.88	14.0
and including		75.38	76.62	1.24	6.00	179
and	FW Central Klaza	102.87	104.19	1.32	6.67	94.0
and		115.55	116.77	1.22	3.54	42.0
KL-11-39	Western BRX	151.29	152.94	1.65	23.50	239
KL-11-40	Central Klaza	63.33	68.02	4.69	5.39	26.0
and		82.36	83.36	1.00	4.48	5.0
and	FW Central Klaza	130.60	137.68	7.08	0.70	13.0
and		175.65	177.17	1.57	2.06	11.0
KL-11-41	Central Klaza	183.63	193.31	9.68	1.59	9.0
and	FW Central Klaza	207.44	212.58	5.14	1.16	12.0
and		253.31	254.75	1.44	3.09	12.0

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		306.93	308.31	1.38	1.08	17.0
and		340.30	341.30	1.00	2.60	16.0
KL-11-42	Secondary	41.63	42.51	0.88	1.45	30.0
and		94.82	96.62	1.80	0.01	422
KL-11-43	HW Central Klaza	89.44	90.80	1.36	1.95	84.0
and	Central Klaza	120.15	135.02	14.87	1.08	18.0
and	FW Central Klaza	149.95	151.66	1.71	3.02	46.0
and		202.59	208.80	6.21	0.93	16.0
and		260.55	262.70	2.15	4.42	12.0
KL-11-44	BYG	14.21	17.02	2.81	0.86	9.0
and	HW Central Klaza	80.39	82.19	1.80	1.85	67.0
and		193.00	194.42	1.42	0.50	143
and	Central Klaza	234.00	235.00	1.00	2.56	3.0
and	FW Central Klaza	291.55	301.70	10.15	2.67	50.0
including		291.55	296.41	4.86	4.76	88.0
and		342.96	343.98	1.02	1.63	35.0
KL-11-45	Secondary	125.64	127.10	1.46	1.05	51.0
and		134.95	136.25	1.30	2.94	94.0
KL-11-46	Central Klaza	179.03	204.51	25.48	0.53	11.0
including		179.03	188.15	9.12	0.88	22.0
and	FW Central Klaza	242.90	243.71	0.81	11.95	151
and		293.48	294.68	1.20	4.25	16.0
KL-11-47	Central Klaza	57.72	61.48	3.76	6.93	36.0
and		73.86	74.86	1.00	2.79	52.0
and	FW Central Klaza	145.39	157.52	12.13	1.18	14.0
including		156.52	157.52	1.00	9.28	78.0
KL-11-48	BYG	188.10	190.94	2.84	2.44	31.0

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-11-50	HW Central Klaza	51.05	53.95	2.90	14.05	30.0
and	Central Klaza	108.49	125.01	16.52	1.18	6.0
and	FW Central Klaza	199.35	214.22	14.87	1.02	8.0
and		252.02	253.48	1.46	4.71	19.0
KL-11-51	BYG	188.36	189.76	1.4	2.15	12.0
and		201.81	202.45	0.64	23.6	74.0
and		218.76	220.13	1.37	7.51	57.0
and	HW Central Klaza	250.30	251.50	1.20	2.07	27.9
and	Central Klaza	427.39	428.43	1.04	0.88	10.7
and		435.32	439.27	3.95	0.82	8.45
KL-11-52	Central Klaza	149.24	166.09	16.85	1.20	8.0
and		192.51	193.53	1.02	2.48	49.0
and	FW Central Klaza	257.37	265.55	8.18	2.22	19.0
including		263.08	263.58	0.50	31.10	208
KL-11-53	HW Central Klaza	33.38	34.28	0.90	3.26	4.0
and	Central Klaza	45.27	58.26	12.99	0.77	5.0
including		45.27	49.89	4.62	1.41	7.0
and	FW Central Klaza	174.67	176.46	1.79	8.19	30.0
KL-11-55	HW Central Klaza	82.85	84.43	1.50	4.87	35.0
and	Central Klaza	244.00	255.34	11.34	0.76	10.0
and	FW Central Klaza	264.46	265.58	1.12	3.08	57.0
and		276.80	284.22	7.42	0.67	46.0
and		308.25	311.22	2.97	2.26	21.0
and		369.64	370.64	1.00	3.37	141

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-11-56	Central Klaza	109.12	121.63	12.51	5.03	14.0
and	FW Central Klaza	232.23	233.23	1.00	9.34	76.0
KL-11-57	Central Klaza	60.05	71.95	11.90	0.58	8.0
including		67.63	71.95	4.32	0.96	10.0
KL-11-58	HW Central Klaza	18.62	20.42	1.80	2.79	26.0
and		61.32	62.32	1.00	2.85	47.0
and		70.07	71.35	1.28	13.05	60.0
and	Central Klaza	179.28	196.70	17.42	1.50	36.0
including		182.66	184.86	2.20	4.38	192
and including		187.56	188.96	1.40	5.11	27.0
and including		195.70	196.70	1.00	3.81	112
and	FW Central Klaza	238.07	239.51	1.44	2.46	28.0
and		248.97	249.97	1.00	5.45	18.0
and		264.20	265.20	1.00	3.66	112
and		290.03	291.03	1.00	3.84	44.0
KL-11-59	Central Klaza	107.65	119.22	11.57	0.57	12.0
including		117.67	119.22	1.55	1.20	6.0
KL-11-60	HW Central Klaza	66.14	67.06	0.92	4.45	6.0
and		90.03	96.38	6.35	1.17	16.0
and		133.19	138.01	4.82	1.42	22.0
and	Central Klaza	234.62	239.95	5.33	0.82	6.0
and	FW Central Klaza	261.21	265.95	4.74	0.86	17.0
and		293.41	295.33	1.92	1.17	17.0
KL-11-61	HW Central Klaza	15.04	17.47	2.43	2.03	23.0
and		24.28	27.35	3.07	1.76	7.0
and		75.08	82.20	7.12	1.39	19.0
and	Central Klaza	160.63	184.90	24.27	1.21	8.0
and	FW Central Klaza	279.86	286.66	6.80	0.81	7.0
and		299.75	301.05	1.30	1.42	105
and		308.73	309.98	1.25	2.92	41.0

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-11-62	HW Central Klaza	51.81	55.40	3.59	3.81	14.0
and	Central Klaza	161.03	173.20	12.17	0.65	25.0
including		161.03	163.68	2.65	1.50	71.0
and	FW Central Klaza	275.03	276.03	1.00	1.02	169
and		299.05	300.70	1.65	7.17	14.0
KL-11-63	BYG	69.77	71.20	1.43	6.29	342
and	HW Central Klaza	125.41	126.41	1.00	1.84	111
and	Central Klaza	300.67	310.92	10.25	1.17	15.0
including		300.67	301.67	1.00	8.17	91.0
KL-12-64	HW Central Klaza	56.46	61.14	4.68	0.76	8.85
and		88.84	93.26	4.42	2.07	20.7
and	Central Klaza	125.00	126.33	1.33	2.02	46.7
KL-12-65	HW Central Klaza	11.87	12.87	1.00	2.78	20.0
and		97.15	98.44	1.29	1.47	10.8
and		119.82	121.84	2.02	1.78	12.9
and		130.70	135.04	4.34	3.91	30.2
including		134.04	135.04	1.00	16.05	90.2
and	Central Klaza	188.61	190.77	2.16	0.81	98.0
KL-12-66	HW Eastern BRX	51.28	59.98	8.70	0.74	35.0
including		58.98	59.98	1.00	2.63	261
and		63.39	64.39	1.00	2.50	24.6
and	Eastern BRX	80.53	81.53	1.00	2.93	15.0
and	Pika	276.95	277.90	0.95	0.64	130
KL-12-67	Eastern Klaza	119.98	121.00	1.02	2.34	234
and	FW Eastern Klaza	131.70	135.15	3.45	1.03	129
including		132.70	133.95	1.25	2.07	341
and		203.78	206.35	2.57	3.07	23.1

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-12-68	HW Central Klaza	53.18	54.18	1.00	5.19	34.0
and		88.82	96.55	7.73	0.81	6.35
including		88.82	90.78	1.96	1.16	14.21
and including		93.97	96.55	2.58	1.26	5.43
and		122.20	123.20	1.00	34.10	47.5
and	Central Klaza	174.65	178.14	3.49	1.14	107
and	FW Central Klaza	236.97	238.41	1.44	1.52	16.75
and		254.64	256.74	2.10	0.22	68.2
KL-12-69	Western BRX	190.44	194.86	4.42	3.23	58.88
including		190.44	192.26	1.82	5.79	40.2
KL-12-70	HW Central Klaza	37.29	38.30	1.01	1.06	7.89
KL-12-71	HW Central Klaza	69.40	73.17	3.77	1.72	13.24
including		69.40	71.00	1.60	3.03	28.0
and		99.89	108.05	8.16	1.25	14.89
including		99.89	104.98	5.09	1.67	21.55
and		147.70	148.83	1.13	1.31	81.8
and	Central Klaza	177.26	179.37	2.11	0.80	48.22
and	FW Central Klaza	196.32	199.79	3.47	0.93	24.12
and		206.39	208.63	2.24	1.27	11.51
KL-12-72	HW Western BRX	178.48	179.81	1.33	10.60	23.2
and	Western BRX	203.19	210.00	6.81	1.55	11.02
including		203.19	204.40	1.21	4.48	15.1
KL-12-73	HW Eastern Klaza	38.25	41.57	3.32	0.98	28.8
and	Eastern Klaza	64.55	65.55	1.00	2.30	36.2
and	FW Eastern Klaza	165.30	166.50	1.20	0.62	84.1
and		237.75	238.82	1.07	2.06	6.15
KL-12-74	Secondary	206.89	207.89	1.00	4.85	35.7
and		244.64	246.70	2.06	3.75	0.05

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-12-75	Western Klaza	78.68	80.50	1.82	5.66	5.57
and	FW Western Klaza	103.30	104.30	1.00	2.91	299
KL-12-76	HW Eastern Klaza	92.00	93.08	1.08	1.64	6.97
and	Eastern Klaza	103.27	111.51	8.24	1.11	5.27
Including		103.27	104.53	1.26	3.22	6.82
and	FW Eastern Klaza	173.94	175.35	1.41	0.77	86.4
KL-12-77	HW Eastern Klaza	58.00	59.00	1.00	14.65	392
and	Eastern Klaza	193.04	199.26	6.22	1.39	16.07
including		194.26	195.26	1.00	7.43	65.2
KL-12-78	Eastern Klaza	48.22	57.27	9.05	1.12	38.5
and	FW Eastern Klaza	97.05	98.05	1.00	2.43	22.6
and		191.43	193.45	2.02	1.08	9.02
and		203.85	205.98	2.13	1.30	4.67
KL-12-79	Western Klaza	91.56	94.77	3.21	3.18	516
including		92.65	93.77	1.12	7.47	1350
KL-12-80	HW Eastern Klaza	187.53	189.95	2.42	2.29	24.7
and	Eastern Klaza	196.95	204.20	7.25	1.06	8.58
including		203.15	204.20	1.05	6.52	6.88
and	FW Eastern Klaza	288.00	289.25	1.25	1.94	3.22
KL-12-81	HW Dickson	12.68	13.68	1.00	2.84	14.5
and		28.24	29.76	1.52	1.61	3.44
and	Dickson	59.43	61.61	2.18	4.81	2.36
and	FW Dickson	89.37	90.37	1.00	3.63	130
KL-12-82	HW Eastern Klaza	92.90	94.50	1.60	0.85	369
and		185.52	189.75	4.23	0.54	36.09
including		185.52	186.52	1.00	1.76	146

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
	Eastern Klaza	240.22	247.04	6.82	1.13	14.6
and including		240.22	241.23	1.01	3.19	49.2
KL-12-83	Dickson	45.01	46.36	1.35	5.83	132
	FW Dickson	105.83	107.17	1.34	0.73	59.1
and						
KL-12-85	BYG	108.45	109.85	1.40	1.71	29.6
	Eastern Klaza	207.64	208.64	1.00	0.62	36.5
and						
KL-12-86	Dickson	115.69	116.69	1.00	7.08	127
KL-12-87	Secondary	194.50	196.00	1.50	1.19	7.06
KL-12-88	Central BRX	236.83	247.42	10.59	1.36	58.1
including		236.83	239.41	2.58	4.64	181
KL-12-89	Pika	55.39	57.59	2.20	3.84	43.2
KL-12-91	HW Central BRX	98.02	99.07	1.05	17.65	119
	Central BRX	295.13	296.50	1.37	3.27	33.6
and						
KL-12-92	Pika	117.08	120.05	2.97	1.14	4.5
	Herc	171.82	172.82	1.00	2.80	8.46
and						
KL-12-93	Pika	90.17	93.59	3.42	1.51	23.2
including		90.17	91.51	1.34	3.47	21.2
and		108.70	109.70	1.00	6.29	61.9
KL-12-95	Pika	121.65	123.08	1.43	1.38	0.74
	Herc	250.57	252.85	2.28	3.39	205
and		258.75	259.75	1.00	1.38	53.7
KL-12-96	Western BRX	329.74	345.36	15.62	5.78	111
including		329.74	332.06	2.32	25.10	621
and including		342.46	345.36	2.90	10.55	92.7
KL-12-97	AEX	63.85	65.33	1.48	1.15	5.54
and		72.74	75.29	2.55	1.57	4.26
	Central BRX	223.86	225.69	1.83	1.61	12.7
and		236.92	248.51	11.59	1.71	6.44

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including		236.92	238.23	1.31	13.05	17.65
KL-12-99	Central BRX	204.22	205.22	1.00	0.52	118
KL-12-100	Herc	208.55	209.55	1.00	0.45	61.4
and		247.04	248.04	1.00	1.31	29.3
KL-12-101	Dickson	44.37	45.60	1.23	2.37	34.4
KL-12-102	Central BRX	296.93	308.20	11.27	0.31	40.5
including		296.93	298.44	1.51	1.75	209
KL-12-103	AEX	19.28	20.28	1.00	1.16	35.7
and		26.07	29.90	3.83	1.21	49.0
including		28.38	29.90	1.52	1.90	111
KL-12-105	Central BRX	179.84	180.95	1.11	0.54	50.0
and		189.46	191.11	1.65	1.62	286
KL-12-106	Central BRX	227.99	228.99	1.00	1.01	59.3
and		250.36	251.36	1.00	3.42	116
KL-12-107	Western Klaza	111.49	112.49	1.00	4.64	191
and		121.73	122.73	1.00	1.18	3.42
and	FW Western Klaze	204.80	206.08	1.28	2.13	4.94
KL-12-108	Dickson	73.71	77.09	3.38	3.09	78.6
KL-12-109	AEX	4.90	6.89	1.99	1.29	24.7
and	Central BRX	266.67	267.86	1.19	3.57	283
and		276.97	277.97	1.00	0.92	16.9
KL-12-110	HW Eastern Klaza	36.82	38.05	1.23	1.39	7.64
and	Eastern Klaza	49.22	50.22	1.00	1.96	8.46
and		56.53	62.94	6.41	1.71	10.53
including		61.83	62.94	1.11	4.81	39.1
and		113.75	114.77	1.02	1.22	156
and		136.80	137.80	1.00	0.72	33.6

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	FW Eastern Klaza	212.52	213.52	1.00	1.26	3.97
and		218.82	219.82	1.00	1.67	6.1
and		233.00	234.01	1.01	1.55	40.2
and		298.35	299.94	1.59	1.50	2.76
and		302.97	304.08	1.11	1.40	2.77
and		319.64	322.01	2.37	3.18	1.67
KL-12-112	AEX	20.82	21.82	1	5.3	5.5
and		39.28	41.05	1.77	1.57	6.07
and	HW Central BRX	98.81	100.42	1.61	0.86	23.7
and	Central BRX	262.34	263.11	0.77	1.74	167
and		266.09	267.09	1.00	1.08	19.8
KL-12-114	Eastern BRX	45.58	47.85	2.27	6.86	153
and	FW Eastern BRX	81.15	82.15	1.00	2.26	51.2
and		106.64	119.22	12.58	2.25	40.0
including		106.64	107.64	1.00	9.55	137
and including		117.70	119.22	1.52	11.30	233
and	Pika	183.51	185.85	2.34	1.32	8.4
KL-12-115	HW Western Klaza	180.42	181.53	1.11	1.60	1.08
and	Western Klaza	214.47	221.59	7.12	4.51	332
including		214.47	215.50	1.03	2.98	1560
and including		219.48	221.59	2.11	13.75	357
KL-12-116	HW Eastern Klaza	115.75	116.75	1.00	0.53	53.6
and	Eastern Klaza	211.09	212.09	1.00	2.56	2.31
and		226.79	227.92	1.13	2.15	8.35
and		229.24	230.62	1.38	0.98	19.6
and	FW Eastern Klaza	273.35	274.35	1.00	0.98	12.9
and		297.74	298.79	1.05	3.81	6.6
and		323.81	325.22	1.41	0.70	34.9
and		368.50	369.51	1.01	1.76	11.65
and		396.00	397.00	1.00	1.22	0.59
KL-12-117	Chevron	108.81	109.81	1.00	1.73	38.0

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-12-118	Central BRX	158.42	166.05	7.63	0.62	33.3
including		165.05	166.05	1.00	1.85	145
KL-12-120	Chevron	72.79	73.80	1.01	2.54	45.6
and		101.09	102.35	1.26	3.97	95.4
and		118.73	119.73	1.00	0.34	50.0
KL-12-121	HW Eastern Klaza	87.69	89.03	1.34	1.29	5.02
and		93.50	94.50	1.00	0.71	25.1
and		295.70	296.85	1.15	1.24	1.58
and		301.10	302.12	1.02	1.22	2.48
	Eastern Klaza	374.60	376.42	1.82	1.52	4.14
and		386.60	404.63	18.03	1.43	2.69
including		386.60	387.70	1.10	5.30	11.8
and including		393.79	396.09	2.30	3.88	4.38
KL-12-122	HW Central Klaza	35.45	37.20	1.75	0.48	82.5
and		160.20	161.50	1.30	0.70	40.1
	Central Klaza	207.07	208.07	1.00	2.42	37.0
and		235.45	238.35	2.90	1.44	15.83
including		235.45	237.16	1.71	2.09	20.3
and		301.20	302.25	1.05	15.90	333
KL-12-123	AEX	96.34	98.71	2.37	1.31	4.02
and		113.81	115.33	1.52	2.85	17.35
	HW Eastern BRX	146.69	148.79	2.1	1.34	29.1
	Eastern BRX	248.85	249.85	1.00	5.09	37.4
and		258.33	259.53	1.20	1.89	13.9
	FW Eastern BRX	277.07	278.07	1.00	1.02	15.05
KL-12-124	HW Central Klaza	7.20	9.82	2.62	1.33	42.6
and		42.00	43.00	1.00	0.67	49.5
and		202.94	203.94	1.00	1.98	72.3
	Central Klaza	260.75	264.59	3.84	0.95	40.1
	FW Central Klaza	291.78	292.91	1.13	1.08	34.1
KL-12-125	Secondary	4.57	6.1	1.53	2.53	0.47
and		32.4	36.91	4.51	0.82	20.53

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		119.36	120.36	1	2.47	68.3
and	AEX	165.95	166.95	1	6.88	116
and		179.58	180.58	1	9.03	27.7
and	HW Eastern BRX	202.93	203.98	1.05	3.94	18.2
and		225.17	228.69	3.52	1.83	17.81
including		225.17	226.51	1.34	2.69	29.9
and		236.83	237.83	1.00	1.56	18.55
and	Eastern BRX	252.07	257.00	4.93	2.86	20.2
including	FW Eastern BRX	252.07	253.44	1.37	5.75	8.05
and including		255.85	257.00	1.15	5.36	75.8
and		265.26	266.26	1.00	2.49	3.33
and		269.73	270.73	1.00	4.96	5.95
KL-12-126	FW Eastern BRX	65.30	68.95	3.65	1.31	43.9
including		65.30	66.40	1.10	1.62	116
and including		67.80	68.95	1.15	2.40	22.9
and	Pika	133.70	135.30	1.60	4.40	4.06
and		145.40	147.30	1.90	2.06	23.9
and	Secondary	179.92	181.97	2.05	1.58	1.54
and		189.50	190.50	1.00	1.56	2.5
KL-12-127	HW Western Klaza	37.51	38.56	1.05	1.72	94.8
and		168.11	169.11	1.00	5.73	204
and	Western Klaza	186.35	187.35	1.00	1.41	169
KL-12-128	AEX	63.25	65	1.75	1.93	2.68
and	Eastern BRX	160.74	162.15	1.41	1.15	10.85
and		163.80	164.80	1.00	0.80	23.6
and	FW Eastern BRX	171.48	174.15	2.67	1.08	0.96
KL-12-129	Dickson	67.61	68.72	1.11	3.97	3.79
and	AEX	286.74	287.74	1	1.68	8.42
and		299.56	300.56	1	1.85	13.4
and		312	313	1	1.82	7.33
and		325.85	326.85	1	2.76	38.5
KL-12-130	Dickson	22.1	23.25	1.15	2.55	5.13
and		51.9	52.9	1	0.93	22.8
and		59	61.65	2.65	0.87	23.1

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Secondary	152.4	154.05	1.65	1.92	5.36
and		155.73	156.73	1	2.01	4.89
and		180.5	181.5	1	1.14	7
and	AEX	327.97	329.22	1.25	1.13	2.78
and		353.1	354.1	1	0.39	52.6
KL-12-131	HW Western Klaza	168.80	172.30	3.50	1.28	14.69
including		168.80	169.90	1.10	2.75	1.05
and	Western Klaza	243.09	246.50	3.41	1.28	135
including		243.09	245.25	2.16	1.25	207
and	FW Western Klaza	291.50	292.50	1.00	0.55	46.0
KL-12-132	AEX	24.81	26.47	1.66	2.31	1.55
and		36.68	38.07	1.39	1.43	14.95
and		38.07	39.23	1.16	4.66	2.91
and	HW Eastern BRX	55.56	56.65	1.09	2.38	2.49
and	Eastern BRX	186.88	188.36	1.48	5.11	41.1
KL-12-133	HW Central Klaza	104.20	105.20	1.00	0.82	88.4
and		136.25	137.27	1.02	1.03	28.3
and		160.63	161.63	1.00	1.62	105
and		237.41	239.41	2.00	2.36	218
including		237.41	238.41	1.00	3.22	400
and		260.45	261.45	1.00	1.92	13.6
and		292.77	293.77	1.00	2.13	19.3
and		334.30	336.10	1.80	2.78	29.0
and	Central Klaza	359.93	360.93	1.00	0.66	265
and		383.27	384.27	1.00	0.97	16.0
and		422.76	423.76	1.00	1.57	55.3
and		439.00	445.70	6.70	11.90	5.23
including		439.00	440.00	1.00	5.25	8.32
and including		442.70	445.70	3.00	24.50	3.39
KL-12-134	Eastern BRX	65.60	66.90	1.30	0.36	53.1
KL-12-135	AEX	58.42	59.96	1.54	1.41	127
and	Central BRX	433.51	436.15	2.64	3.66	112

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including		434.70	436.15	1.45	5.87	197
KL-14-136	Western BRX	58.30	58.80	0.50	2.98	12.5
KL-14-137	HW Western BRX	24.42	27.41	2.99	1.92	29.8
and	Western BRX	110.87	112.28	1.41	10.60	32.2
including		111.40	111.71	0.31	38.90	107
and		125.15	128.10	2.95	26.90	181
including		125.15	126.46	1.31	56.40	318
KL-14-138	Western BRX	131.80	132.43	0.63	40.50	536
KL-14-139	Secondary	98.05	98.81	0.76	1.98	13.0
KL-14-141	HW Western BRX	109.40	110.35	0.95	1.84	13.0
and	Western BRX	137.21	138.31	1.10	29.90	660
KL-14-142	Western BRX	155.13	157.52	2.39	6.38	83.8
including		157.16	157.52	0.36	39.00	498
KL-14-143	Western BRX	118.92	120.20	1.28	2.23	47.0
and		123.40	125.05	1.65	28.90	669
KL-14-144	Western BRX	102.27	104.67	2.40	10.25	259
including		102.92	103.76	0.84	26.80	705
and		108.34	112.10	3.76	10.99	21.0
including		111.09	112.10	1.01	29.30	36.8
KL-14-145	Western BRX	96.99	99.89	2.90	10.79	121
including		96.99	97.76	0.77	13.05	310
and including		99.59	99.89	0.30	67.40	320
KL-14-146	Secondary	63.36	64.36	1.00	3.62	24.9
KL-14-147	Western BRX	145.81	150.40	4.59	7.36	225
including		145.81	147.70	1.89	15.95	123
and including		149.56	150.40	0.84	4.06	946

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-148	Western BRX	190.95	194.97	4.02	1.35	10.5
and		210.20	210.47	0.27	4.31	148
KL-14-149	HW Western BRX	60.00	60.95	0.95	0.76	2.51
and	Western BRX	67.68	71.35	3.67	1.39	4.58
and		76.03	77.53	1.50	0.51	15.7
and		84.94	87.55	2.61	0.92	12.6
KL-14-150	Western BRX	46.49	49.47	2.98	26.71	172
including		46.49	47.17	0.68	51.50	181
and including		48.31	49.47	1.16	38.20	333
and		57.92	58.43	0.51	1.64	36.7
KL-14-151	HW Western BRX	142.95	144.20	1.25	1.50	77.8
and	Western BRX	183.95	188.18	4.23	17.37	193
including		183.95	184.75	0.80	31.00	310
and including		186.44	187.16	0.72	64.90	725
KL-14-152	HW Western BRX	6.24	9.66	3.42	1.63	5.54
and	Western BRX	61.20	64.24	3.04	7.86	61.3
including		62.14	62.83	0.69	25.20	163
KL-14-153	HW Western BRX	17.37	18.09	0.72	8.74	71.2
and	Western BRX	63.30	67.10	3.80	4.47	23.8
including		66.70	67.10	0.40	19.10	112
and		71.45	73.51	2.06	14.30	142
including		72.75	73.51	0.76	32.20	252
and		63.30	73.51	10.21	4.56	37.8
KL-14-154	Western BRX	46.70	49.27	2.57	26.39	163
including		46.70	47.70	1.00	66.20	403
and		60.05	60.38	0.33	2.74	7.04
KL-14-155	Western BRX	105.60	106.02	0.42	6.14	369
and		116.70	117.02	0.32	3.09	18.8
KL-14-156	HW Western BRX	114.03	114.50	0.47	6.05	101
and	Western BRX	196.32	198.81	2.49	5.68	253
including		197.84	198.81	0.97	14.30	513

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-157	Western BRX	69.59	71.33	1.74	9.65	240
including		69.59	70.24	0.65	18.55	334
and		79.52	79.93	0.41	1.58	777
KL-14-158	Western BRX	144.65	146.04	1.39	12.28	123
including		144.65	145.57	0.92	17.27	175
and		163.12	163.88	0.76	27.84	291
including		163.12	163.62	0.50	42.00	432
KL-14-159	Secondary	22.86	25.91	3.05	1.52	8.61
and		184.40	184.83	0.43	1.90	3.2
and		215.15	215.80	0.65	2.23	23.8
KL-14-160	Central BRX	74.20	76.14	1.94	2.15	88.4
KL-14-161	Central BRX	36.91	37.37	0.46	0.47	110
KL-14-162	Secondary	38.35	40.08	1.73	2.00	7.27
and		52.25	52.70	0.45	2.94	64.0
KL-14-163	Central BRX	170.63	171.14	0.51	4.06	75.5
KL-14-165	Central BRX	84.30	88.35	4.05	1.30	59.9
including		84.30	85.34	1.04	4.70	190
KL-14-166	Central Klaza	32.37	35.52	3.15	1.62	59.0
including		32.37	32.90	0.53	3.09	118
and		48.75	49.80	1.05	1.64	147
and		70.62	71.63	1.01	0.15	154
and		98.68	100.15	1.47	2.00	17.4
KL-14-167	Central BRX	142.17	145.24	3.07	0.31	121
including		142.17	142.56	0.39	2.02	619
and		150.74	152.60	1.86	1.24	107
including		150.74	151.33	0.59	3.27	304
KL-14-168	Central BRX	141.93	144.38	2.45	0.55	39.9
including		141.93	142.34	0.41	1.68	114
and		149.10	149.55	0.45	1.84	116

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-169	Central Klaza	77.28	78.46	1.18	6.01	72.7
and		88.35	95.20	6.85	0.68	10.7
including		94.80	95.20	0.40	6.57	116
and		126.20	126.74	0.54	3.37	112
and		138.40	141.02	2.62	3.87	38.3
including		140.06	141.02	0.96	7.13	46.6
KL-14-170	Central BRX	184.03	185.67	1.64	1.21	271
including		184.96	185.41	0.45	2.49	664
KL-14-171	Central Klaza	76.78	81.19	4.41	3.58	160
including		76.78	77.40	0.62	22.90	1100
and		137.22	137.95	0.73	11.85	56.4
KL-14-172	BRXb	180.31	182.22	1.91	2.85	20.4
and	BRX	261.29	265.74	4.45	6.65	157
including		261.29	262.30	1.01	27.80	656
KL-14-173	Central Klaza	74.90	76.83	1.93	3.03	39.0
and		104.30	105.37	1.07	1.00	291
KL-14-174	Central Klaza	35.92	37.39	1.47	4.08	71.1
KL-14-175	Central Klaza	87.47	88.72	1.25	1.58	128
and		129.20	130.17	0.97	4.67	34.0
and		142.17	144.12	1.95	1.72	12.6
and		150.05	150.65	0.60	1.98	66.6
and		185.83	187.20	1.37	1.04	58.9
and		201.35	204.60	3.25	1.67	29.0
including		201.35	202.41	1.06	2.10	62.1
KL-14-176	Western Klaza	58.61	58.86	0.25	10.25	130
KL-14-177	BRX	279.39	281.80	2.41	8.71	38.2
including		281.14	281.80	0.66	26.80	101
KL-14-178	Western Klaza	95.86	97.64	1.78	14.19	353
including		95.86	96.82	0.96	25.30	637
KL-14-179	Western Klaza	111.85	112.69	0.84	3.20	149

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-180	HW Western Klaza	45.20	46.20	1.00	1.64	361
and	Western Klaza	249.55	250.61	1.06	20.60	93.8
KL-14-181	Western BRX	285.06	287.45	2.39	10.21	115
including		286.34	287.45	1.11	20.73	235
KL-14-182	Western Klaza	183.89	184.71	0.82	14.60	778
KL-14-183	HW Western BRX	163.68	164.84	1.16	3.62	107
and	Western BRX	225.44	226.01	0.57	2.88	16.0
and		231.52	232.16	0.64	2.99	53.2
and		261.22	261.59	0.37	35.50	359
KL-14-184	Western Klaza	163.62	170.65	7.03	3.55	41.6
including		163.62	163.86	0.24	12.60	1130
and including		169.99	170.65	0.66	30.90	5.28
KL-14-185	HW Western Klaza	49.30	50.30	1.00	0.66	314
and	Western Klaza	147.17	149.74	2.57	3.94	270
including		147.17	148.85	1.68	5.20	168
KL-14-186	Western BRX	219.02	221.20	2.18	10.23	298
including		219.02	219.76	0.74	3.79	593
and including		220.74	221.20	0.46	41.80	433
KL-14-187	HW Western Klaza	39.82	40.96	1.14	3.13	8.85
and	Western Klaza	203.30	203.82	0.52	8.35	96.0
and		212.26	212.52	0.26	5.11	420
KL-14-188	Western BRX	211.25	213.05	1.80	2.08	3.81
and		215.28	218.75	3.47	9.86	220
including		217.28	218.75	1.47	21.50	323
KL-14-189	Western Klaza	133.45	136.36	2.91	4.35	159
including		133.45	134.39	0.94	5.80	250

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-190	Western Klaza	121.08	122.21	1.13	2.84	25.3
and		140.19	140.55	0.36	6.59	107
KL-14-192	Western BRX	230.30	235.13	4.83	2.08	30.6
including		230.30	231.20	0.90	8.92	63.5
KL-14-193	HW Central Klaza	157.49	158.11	0.62	2.63	53.3
and		180.50	180.70	0.20	2.25	169
and	Central Klaza	249.84	253.00	3.16	2.59	9.16
including		252.71	253.00	0.29	23.60	55.1
KL-14-194	Central BRX	63.23	63.95	0.72	6.05	318
and		72.40	73.65	1.25	2.84	185
including		72.75	73.65	0.90	3.84	241
KL-14-195	Western BRX	214.94	218.57	3.63	3.21	18.7
including		214.94	215.51	0.57	6.14	44.0
and including		218.23	218.57	0.34	13.30	68.1
KL-14-196	Central BRX	57.72	62.33	4.61	1.92	214
including		57.72	58.78	1.06	2.65	359
and including		59.26	60.05	0.79	4.87	457
KL-14-197	Central BRX	79.70	80.43	0.73	6.76	978
KL-14-198	Central BRX	69.28	70.53	1.25	3.56	102
including		70.26	70.53	0.27	14.90	412
and		79.68	80.75	1.07	7.74	156
including		79.68	80.30	0.62	13.20	266
KL-14-199	HW Central Klaza	104.18	104.66	0.48	2.29	116
and		114.20	114.69	0.49	2.65	85.0
and		193.30	193.82	0.52	3.87	111
and	Central Klaza Zone	284.56	285.09	0.53	31.80	481
and		339.30	342.28	2.98	2.56	33.7
including		339.30	340.25	0.95	6.23	82.0
and		360.12	362.57	2.45	11.13	65.9
including		360.12	360.37	0.25	37.70	111
and including		362.25	362.57	0.32	55.30	406

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		377.15	377.67	0.52	2.30	122
KL-14-200	Central BRX	60.28	62.43	2.15	1.04	63.1
including		60.28	60.58	0.30	2.70	99.9
KL-14-201	Western Klaza	47.05	47.91	0.86	1.90	32.5
KL-14-202	Central BRX	69.05	69.35	0.30	2.49	80.2
KL-14-203	Central BRX	67.72	68.38	0.66	1.89	102
KL-14-204	Western Klaza	33.22	33.71	0.49	0.59	62.2
KL-14-205	Central BRX	76.76	79.11	2.35	1.28	104
including		77.51	78.33	0.82	2.49	203
KL-14-206	Western Klaza	83.70	85.71	2.01	2.56	757
KL-14-207	Central BRX	71.72	80.08	8.36	0.91	80.0
including		71.72	72.43	0.71	3.20	121
and including		74.33	74.93	0.60	5.40	110
and including		78.38	78.78	0.40	1.92	683
and including		79.73	80.08	0.35	1.96	582
KL-14-208	HW Western Klaza	70.12	71.50	1.38	2.62	2.82
and	Western Klaza	129.38	129.89	0.51	16.45	208
KL-14-209	Central BRX	63.37	63.83	0.46	3.03	52.3
KL-14-210	HW Central Klaza	87.74	88.04	0.30	0.84	234
and	Central Klaza	278.15	279.50	1.35	5.70	19.6
and		285.28	286.20	0.92	8.52	232
and		303.68	305.75	2.07	2.33	18.3
including		303.68	304.17	0.49	8.10	46.9
and		348.65	349.97	1.32	5.65	466
including		349.65	349.97	0.32	16.60	1900

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-211	Central BRX	85.79	86.09	0.30	3.23	25.0
KL-14-212	Western Klaza	75.96	76.12	0.16	14.20	872
and		89.84	90.21	0.37	2.14	244
KL-14-213	Central BRX	56.61	57.71	1.10	7.79	128
including		57.04	57.71	0.67	12.15	196
KL-14-214	HW Western Klaza	25.61	26.24	0.63	1.64	145
and	Western Klaza	72.27	73.54	1.27	7.74	427
including		72.27	72.70	0.43	14.35	1160
KL-14-215	Central BRX	73.03	73.75	0.72	10.20	95.8
KL-14-216	Western Klaza	55.74	56.61	0.87	13.92	495
including		55.74	55.93	0.19	49.50	1320
KL-14-217	HW Central BRX	57.70	60.00	2.30	2.71	10.4
including		58.00	58.30	0.30	17.20	36.3
and	Central BRX	71.39	82.00	10.61	0.89	29.6
including		73.90	74.91	1.01	3.12	76.1
and including		78.44	79.92	1.48	1.90	82.6
KL-14-218	Western Klaza	45.46	49.99	4.53	4.46	176
including		45.46	46.24	0.78	15.25	789
and including		49.69	49.99	0.30	25.10	544
KL-14-220	HW Western Klaza	6.00	7.08	1.08	0.13	90.5
and		12.35	13.30	0.95	1.64	43.5
and		34.13	35.75	1.62	0.97	18.8
and	Western Klaza	267.63	270.06	2.43	2.82	61.2
including		269.60	270.06	0.46	9.83	305
and		277.19	278.65	1.46	15.38	741
including		277.19	277.72	0.53	33.20	1625
KL-14-221	Western Klaza	95.28	97.44	2.16	2.18	37.9
including		97.14	97.44	0.30	5.04	227

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-14-222	HW Central Klaza	206.40	207.07	0.67	3.46	40.3
and		223.17	223.52	0.35	3.98	124
and		275.43	276.90	1.47	5.15	179
and		Central Klaza	410.57	412.05	1.48	8.33
KL-14-224	HW Western Klaza	17.89	19.57	1.68	11.22	10.6
and		251.50	254.53	3.03	0.59	24.5
including		251.50	252.07	0.57	1.72	104
KL-14-229	Western BRX	301.81	302.90	1.09	3.68	38.2
including		302.57	302.90	0.33	10.90	94.7
KL-14-231	Secondary	133.25	133.91	0.66	4.31	15.7
KL-14-232	Pika	48.36	49.69	1.33	2.29	38.8
and	Herc	196.41	196.66	0.25	8.06	175
and		204.14	204.69	0.55	6.75	25.4
KL-14-234	Secondary	97.28	99.85	2.57	2.09	5.68
and		128.79	129.20	0.41	5.97	13.6
and		263.86	264.26	0.40	4.20	15.8
KL-14-235	Western BRX	236.47	236.90	0.43	12.25	60.3
KL-14-238	Western BRX	502.44	520.94	18.50	2.19	120
including		519.57	520.94	1.37	16.29	1435
KL-14-239	Secondary	239.22	240.26	1.04	3.68	20.9
KL-15-240	Eastern BRX	35.05	36.05	1	3.41	2.26
including		46.9	51.6	4.7	1.24	8.54
and including		47.58	48.18	0.6	6.85	14.1
and including		51.18	51.6	0.42	2.11	41.6
and		69.33	69.83	0.5	1.72	30.7
and	Pika	107.4	110.63	3.23	3.22	48.2
including		107.4	109.81	2.41	4.08	63.5
and including		109.21	109.81	0.6	10.95	115
and	Secondary	155.77	157.58	1.81	2.02	0.87

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)	
KL-15-241	HW Central Klaza	32.77	33.57	0.8	0.8	61.4	
and		134.03	134.76	0.73	2.26	29.5	
and		145.33	148.77	3.44	0.66	48.4	
including		145.33	145.67	0.34	5.29	214	
and		205.69	206.11	0.42	1.7	161	
and		222.21	222.94	0.73	1.18	4.66	
and		257.96	258.35	0.39	1.89	28.2	
and		Central Klaza	279.04	281.2	2.16	4.09	273
including	280.02		281.2	1.18	7.01	492	
KL-15-242	Eastern BRX	44.81	47.85	3.04	1.01	85	
including		47.23	47.85	0.62	2.46	156	
and	Secondary	81.93	82.44	0.51	0.68	168	
and	Pika	166.25	168.91	2.66	3.56	30	
including		168.41	168.91	0.5	7.57	50.4	
and	Secondary	174.82	178.34	3.52	1.55	12.3	
including		176.98	177.73	0.75	4.9	28.5	
and		190.95	191.5	0.55	3.98	16.2	
KL-15-243	HW Central Klaza	20.43	20.73	0.3	0.15	183	
and		53.76	54.12	0.36	0.19	814	
and		75.62	76.92	1.3	0.1	99.8	
and		151.2	152	0.8	1.96	38.5	
and		156.61	157.04	0.43	2.11	20.3	
and		206.74	207.55	0.81	2.22	512	
including		207.04	207.55	0.51	3.1	720	
and		336.89	337.45	0.56	1.86	42.6	
and		Central Klaza	382.79	384.18	1.39	8.05	272
including			383.44	384.18	0.74	11.2	495
and	FW Central Klaza	454.99	455.29	0.3	2.95	7.54	
and		489.18	489.58	0.4	2.73	295	
and		492.68	492.98	0.3	3.67	314	
KL-15-244	Eastern BRX	71.02	71.96	0.94	3.11	91.2	
and	Secondary	99.89	102.23	2.34	0.87	3.92	
and	Pika	130.57	135.28	4.71	1.07	7.14	
including		132.83	133.3	0.47	7.54	49.3	
and		196.84	198.59	1.75	6.01	192	
including		196.84	197.68	0.84	11.55	396	

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-15-245	Secondary	105.44	105.9	0.46	2.77	837
and		137.03	137.42	0.39	0.8	259
and	Eastern BRX	151.87	152.98	1.11	1.35	18.1
and		157.37	157.73	0.36	1.05	234
and		161.42	166.93	5.51	2.21	21.4
including		161.42	161.83	0.41	7.45	129
and including		166.42	166.93	0.51	14.85	101
and	Secondary	188.5	188.8	0.3	11.05	8.26
and		193.34	194.88	1.54	1.06	0.81
and		198.01	200.09	2.08	1.29	4.34
and	Pika	205	206.35	1.35	4.06	19
including		205	205.58	0.58	8.47	42.1
and		263.46	263.77	0.31	1.01	43
and		265.09	266.17	1.08	1.67	66.8
including		265.75	266.17	0.42	3.5	168
KL-15-247	Western Klaza HW	5.18	5.76	0.58	5.51	907
and	Western Klaza	267.63	274.4	6.77	0.92	6.35
including		273.13	274.4	1.27	2.86	23.3
and	Western Klaza FW	293.62	293.96	0.34	7.28	75.5
KL-15-248	Secondary	63.69	64.59	0.9	4.27	98.1
and		73.45	76.25	2.8	3.25	40.5
including		75.37	76.25	0.88	8.79	110
and	AEX	97.32	97.74	0.42	26.9	576
and	Secondary	121.8	123.21	1.41	3.33	38.6
including		121.8	122.15	0.35	12.8	45.4
and		148.44	149.25	0.81	1.3	4.52
and		159.93	160.63	0.7	1.61	34
and		165.76	167.18	1.42	1.07	12.2
and		201.83	202.87	1.04	2.15	10.8
and		209.13	209.84	0.71	2.66	21.7
and		214.65	216.65	2	4.45	15.3
including	Eastern BRX	216.35	216.65	0.3	14.1	62.7
and		228.82	234.5	5.68	1.65	6.44
including		228.82	230.3	1.48	1	10.9
and including		233.67	234.5	0.83	9.24	19.4
and	Dillo	272.48	273.22	0.74	4.68	5.3

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including	Pika	272.89	273.22	0.33	8.17	8.29
KL-15-249	Western Klaza	195.36	197.5	2.14	2.84	357
including		195.36	195.76	0.4	12.1	1890
and	Western Klaza FW	235.63	236.41	0.78	2.18	313
KL-15-250	Secondary	19.55	19.89	0.34	11.25	489
and	AEX	25.92	26.24	0.32	2.91	78
and	Secondary	53.95	55.04	1.09	1.89	34.6
including		54.74	55.04	0.3	5.59	99.7
and		112.07	115.03	2.96	1	10
including		112.07	112.53	0.46	2.15	14.2
and including		113.89	114.71	0.82	2.02	24.9
and		Eastern BRX	133.43	137.5	4.07	1.1
including	Eastern BRX	136.87	137.5	0.63	4.5	51.4
and	Secondary	168.27	168.78	0.51	1.82	6.74
and		186.45	186.82	0.37	5.99	27.7
and	Pika	218.66	219	0.34	1.6	6.89
and		220.8	222.01	1.21	1.16	8.36
and		225.54	227.97	2.43	1.58	5.2
KL-15-251	Western Klaza HW	2.53	3.58	1.05	1.25	63.3
and		43.73	44.09	0.36	1.5	198
and	Western Klaza	211.79	213.35	1.56	3.62	102
including		211.79	212.09	0.3	12.55	524
and		214.9	215.34	0.44	1.34	2.29
and	Western Klaza FW	273.68	274	0.32	1.82	44.6
KL-15-252	AEX	113.53	113.87	0.34	1.37	10.3
and	Secondary	132.71	135.53	2.82	0.98	16
including		134.51	135.53	1.02	2.09	29.1
and		149.36	149.67	0.31	2.77	405
and		158.74	159.04	0.3	2.11	18.8
and		160.17	161.11	0.94	1.08	13.6
and	Eastern BRX	198	198.57	0.57	1.61	39.3
and	Eastern BRX	206.57	207.24	0.67	1.09	44.5
and	Pika	289.95	293.36	3.41	3.08	17.2
including		289.95	290.55	0.6	10.5	26.2
and including		292.96	293.36	0.4	10.4	104

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-15-253	BYG	38.66	41.61	2.95	2.04	23.4
including		38.66	39.43	0.77	7.74	58.5
and	HW Western Klaza	72.66	74.59	1.93	1.72	27.3
and		221.57	223.05	1.48	2.56	40.5
and	Western Klaza	317.95	318.57	0.62	4.18	147
KL-15-254	HW Western BRX	227.5	227.96	0.46	1.08	45
and	Western BRX	287.23	288.42	1.19	6.67	143
including		287.23	288.12	0.89	8.16	174
and		293.91	296.01	2.1	3.57	83.9
including		295.53	296.01	0.48	13.4	325
KL-15-255	HW Central Klaza	89.29	89.59	0.3	5.85	54.1
and		132.29	132.59	0.3	1.22	11.4
and		163.59	163.89	0.3	2.78	153
and		179.09	179.39	0.3	4.12	49
and		197.88	198.18	0.3	0.25	177
and		204.63	204.93	0.3	1.85	10.9
and		263.24	263.58	0.34	0.56	85.4
and	Central Klaza	292.84	293.18	0.34	2.49	146
and		298.49	298.94	0.45	21.9	176
and	FW Central Klaza	357.44	358.4	0.96	6.9	302
KL-15-256	Western BRX	416.21	419.96	3.75	4.18	159
including		416.21	416.76	0.55	1.36	207
including		419	419.96	0.96	15.36	482
KL-15-257	HW Central Klaza	39.6	40.03	0.43	5.87	85
and		69.72	70.24	0.52	6.14	205
and	Central Klaza	93.15	94.08	0.93	0.67	80.7
and		101	110.47	9.47	1.25	22.4
including		101	102.07	1.07	5.64	81
and including		106.82	107.86	1.04	3.03	67.4
and		113.42	113.82	0.4	1.23	84.9
and		122.25	122.78	0.53	1.62	27.5
and		131.56	131.96	0.4	1.56	23

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-15-258	Central Klaza	10.34	14.02	3.68	11.28	75.9
including		10.34	10.93	0.59	29.3	121
and including		11.58	11.95	0.37	16.35	50.8
and including		12.75	14.02	1.27	13.5	140
and	FW Central Klaza	43.93	45.91	1.98	5.05	68.7
KL-15-259	FW Central Klaza	51.38	52.34	0.96	5.99	165
KL-15-260	HW Western BRX	114.32	114.62	0.3	1.78	8.64
and	Western BRX	418.9	419.2	0.3	4.25	19.3
and		427.24	427.6	0.36	1.07	1.57
and		429.69	430.15	0.46	1.92	10.6
and		432.83	433.38	0.55	7.01	554
and		438.08	439.88	1.8	3.14	44.3
KL-15-261	Central Klaza	46.8	52.32	5.52	1.35	12.5
and	FW Central Klaza	108.01	112.29	4.28	3.41	19.2
including		109.42	111.5	2.08	5.2	24.7
and		151.41	151.73	0.32	3.01	422
and		156.37	157.05	0.68	5.53	45.9
KL-15-262	HW Central Klaza	25	25.93	0.93	6.16	65.2
including		25.4	25.93	0.53	9.81	105
and	Central Klaza	50.65	50.98	0.33	1.12	13.8
and		67.53	67.84	0.31	2.28	12.2
and	FW Central Klaza	105.14	105.81	0.67	9.84	14.6
and		144.87	145.18	0.31	31.6	100
and		175.42	175.81	0.39	0.57	510
and		198.53	198.83	0.3	1.64	16.4
and		200.47	200.77	0.3	3.06	15.2
KL-15-263	Secondary	105.53	105.86	0.33	6.13	69.9
KL-15-264	HW Western BRX	16.2	16.5	0.3	5.69	2.4

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		124.65	124.97	0.32	1.14	11.8
and	Western BRX	148.08	148.44	0.36	1.44	15
and		158.62	159.67	1.05	18.7	489
KL-15-265	BYG	38.68	41.63	2.95	5.51	141
including		38.68	39.11	0.43	13.95	546
including		40.18	40.86	0.68	8.46	212
and		46.68	48.39	1.71	2.07	107
including		46.98	47.62	0.64	4.44	264
and	HW Central Klaza	80.89	81.46	0.57	1.24	42.3
and		192.41	192.87	0.46	1.45	25.7
and		229.9	230.86	0.96	1.19	51.7
including		229.9	230.47	0.57	1.64	77.1
and	Central Klaza	289.87	290.21	0.34	14.55	981
and		297.31	297.91	0.6	2.67	21.5
and		300.58	301.73	1.15	4.93	102
including		300.58	301.1	0.52	9.86	212
and		325.22	326.08	0.86	4.61	18.6
and	FW Central Klaza	352.91	354.47	1.56	1.88	23.3
and		378.2	378.66	0.46	2.29	64
and		412.72	413.69	0.97	1.12	7.26
and		450.73	453.17	2.44	6.71	0.54
and		480.97	481.36	0.39	1.54	38.7
KL-15-266	Western BRX	155.57	156.23	0.66	5.35	111
KL-15-267	Central BRX	221.37	221.88	0.51	3.07	29.8
and		225.93	227.15	1.22	1	31.4
KL-15-268	Central BRX	108.93	109.33	0.4	1.94	172
and		118.68	119.32	0.64	4.3	355
KL-15-269	Central BRX	199	199.89	0.89	1.1	89.2
and		209.45	209.75	0.3	0.83	63.5
KL-15-270	Central Klaza	29.87	35.96	6.09	9.46	84.9
including		30.9	32.59	1.69	22.14	254
including		33.47	33.88	0.41	10.8	5.56

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including		34.75	35.29	0.54	21.4	102
and	FW Central Klaza	38.9	39.28	0.38	1.38	1.76
and		47.96	48.27	0.31	12.3	75.6
and		71.73	72.77	1.04	11.29	120
including		72.04	72.45	0.41	20	285
and		122.79	124.72	1.93	1.28	16
and		125.59	126.51	0.92	3.84	39.1
KL-15-271	Western BRX	368.26	368.56	0.3	3.21	13.4
and		372.52	373.41	0.89	8.52	374
including		372.52	372.93	0.41	15.5	655
and		378.04	380.04	2	14.88	162
including		378.04	378.34	0.3	21.4	252
and including		379.39	380.04	0.65	34.9	369
and		383.8	384.23	0.43	0.7	17.2
KL-15-272	Central Klaza	94.01	94.64	0.63	1.01	6.11
and		97.48	102.84	5.36	1.89	10.9
including		97.48	98.59	1.11	5.09	14.9
and including		102.53	102.84	0.31	14.35	132
and		108.41	108.74	0.33	1.78	8.12
and		139.68	140.23	0.55	1.52	22.6
and		192.14	192.44	0.3	7.28	173
	FW Central Klaza	220.46	220.76	0.3	2.79	40.6
and		224.06	224.36	0.3	5.76	341
and		243.23	244.26	1.03	10	25.5
KL-15-273	HW Central Klaza	18.16	18.49	0.33	2.03	139
and		39.06	42.83	3.77	1.35	17.7
including		42.44	42.83	0.39	11.2	135
and		68.19	68.6	0.41	1.48	16.8
and		77.93	78.23	0.3	1.62	145
and		82.18	82.51	0.33	2.27	51.3
and		107.74	108.04	0.3	4.2	73.3
and		144.18	144.5	0.32	3.71	59
		163.74	165.16	1.42	1.05	40.1
and		171.19	171.95	0.76	1.44	16.7

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Klaza	182.31	184	1.69	4.21	61.4
including		183.15	183.47	0.32	17.45	110
and		190.59	191.02	0.43	1.51	5.33
and		195.48	195.78	0.3	3.37	26.2
KL-15-274	Western BRX	367.65	368.91	1.26	9.97	471
including		368.47	368.91	0.44	12.75	727
and		371.96	372.44	0.48	8.15	107
KL-15-275	HW Central Klaza	83.58	84.01	0.43	1.74	64.3
and		152.06	152.38	0.32	7.31	240
and	Central Klaza	259.67	260.04	0.37	1.15	17.7
and		369.58	371.97	2.39	5.29	132
and	FW Central Klaza	424.33	424.68	0.35	4.13	510
KL-15-276	Western BRX	423.39	424.01	0.62	9.6	173
including		423.39	423.7	0.31	18	318
KL-15-277	HW Central Klaza	27.51	27.81	0.3	0.99	104
and		112.1	112.41	0.31	3.83	201
and	Central Klaza	157.83	158.48	0.65	2.18	18
and		181.61	182.08	0.47	1.88	77.5
and		184.74	185.25	0.51	1.92	56.4
and		206.53	207.26	0.73	7.75	36
and	FW Central Klaza	233.42	235.49	2.07	1.65	5.49
and		242.98	243.5	0.52	5.59	77
KL-15-278	Western Klaza	225.91	226.34	0.43	2.69	14
and		239	240.86	1.86	9.12	90.5
including		239	239.39	0.39	29.9	370
and		247.1	247.4	0.3	6.21	2.53
and		248.78	249.87	1.09	1.04	2.45
and		253.18	255.26	2.08	1.26	57.4
KL-15-279	HW Western BRX	371.84	372.56	0.72	2.73	0.72
and	Western BRX	460.68	461.13	0.45	4.76	85

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-15-280	Secondary	16.89	17.21	0.32	1.63	2.15
and	BYG	78.13	78.44	0.31	6.53	2.56
and		87	88.08	1.08	1.77	73.3
and		92.21	92.7	0.49	2.16	0.64
and		113.73	114.08	0.35	9.84	195
KL-15-281	BYG	7.49	7.84	0.35	1	102
and		45.49	45.73	0.24	2.77	139
and		62.19	62.75	0.56	0.27	110
KL-15-282	BYG	79.52	80.09	0.57	1.62	39.9
and		82.77	87.48	4.71	1.45	49.2
including		85.06	85.39	0.33	7.26	452
KL-15-283	BYG	93.04	95.77	2.73	2.26	14.4
including		95.28	95.77	0.49	9.76	43.7
and		HW Central Klaza	151.57	151.96	0.39	4
KL-15-284	BYG	63.53	63.84	0.31	1.95	48
KL-15-285	BYG	73.58	73.93	0.35	0.48	98
and		76.6	76.9	0.3	0.16	334
and		92.31	93.39	1.08	3.19	6.94
including		92.31	92.85	0.54	5.81	9.61
and		95.25	95.74	0.49	1.42	7.06
and		97.64	98.9	1.26	1.81	6.37
and		101.96	102.29	0.33	1.47	4.24
and		HW Central Klaza	122.53	124.05	1.52	1.34
KL-15-286	HW Western BRX	328.81	329.11	0.3	1.01	8.99
and	Western BRX	353.49	355.93	2.44	2.55	30.3
including		355.63	355.93	0.3	8.32	113
KL-15-287	BYG	48.53	49.35	0.82	0.88	83.1
and		78.99	79.44	0.45	1.14	82.4
and	HW Central Klaza	95.4	95.7	0.3	0.49	74.2
and		97.52	97.83	0.31	1.47	17.6
KL-15-288	HW Central Klaza	36.55	37.1	0.55	1.31	8.2

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Klaza	66.68	71.14	4.46	2.12	153
including		66.68	66.99	0.31	10.15	870
and		69.14	69.82	0.68	6.04	575
and	FW Central Klaza	106.9	109.11	2.21	3.8	187
including		108.43	109.11	0.68	7.46	541
and		111.92	112.24	0.32	1.52	21.7
KL-15-291	HW Western BRX	330.29	331.77	1.48	4.88	4.85
and	Western BRX	381.71	386.14	4.43	5.89	75.6
including		381.71	382.44	0.73	31.48	135
and including		385.66	386.14	0.48	1.68	454
and		388.31	389.56	1.25	4.02	150
KL-16-295	Stroshein HW	31.36	33.28	1.92	1.65	6.14
including		32.77	33.28	0.51	4	12.55
and	Stroshein	60.23	60.82	0.59	23	43
and	Stroshein FW	89.62	90.34	0.72	1.48	3.89
and	Herc HW	124.15	124.65	0.5	1.02	2.69
and	Herc	177.83	178.32	0.49	2.73	89
KL-16-296	BRX	Did not reach target depth				
KL-16-297	Pearl	17.77	18.27	0.5	2.09	66.6
KL-16-298	Herc	59	60	1	1.32	7.77
and	Herc FW	79.76	80.19	0.43	2.25	2.97
KL-16-300	Pika HW	32	35.17	3.17	1	4.51
and	Pika	37.5	38.05	0.55	2.11	12.65
and	Pika FW	52.97	53.59	0.62	1.75	1.78
and	Stroshein	255.12	265.88	10.76	2.06	5.86
incl		257.89	260.98	3.09	5.29	10.97
incl		260.47	260.98	0.51	25.9	26.6
and	Stroshein FW	281.26	281.91	0.65	2.47	92.2
and	Herc HW	307.76	302.26	0.5	2.49	21.8
and	Herc	311.81	315.52	3.29	1.9	10.15
incl		311.81	313.03	1.22	3.84	15.84
KL-16-305		41.76	47.85	6.09	1.71	17.7

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Eastern Klaza	43.84	44.92	1.08	4.09	51.8
and		126.11	126.64	0.53	2.65	17
KL-16-310	Central Klaza	9.16	13.4	4.24	4.21	45.6
incl		11.56	12.71	1.15	13.1	119
and		38.55	38.9	0.35	13.9	339
and		50.56	52.35	1.79	2.85	26.8
incl		51.85	52.35	0.5	8.6	41.3
and		76.6	78.55	1.95	1.78	40.7
and		225.16	225.76	0.6	8.76	47.7
KL-16-311	Central Klaza	29.57	30.08	0.51	3.44	50.5
and		59.32	60.88	1.56	3.94	43.7
and		77.12	77.47	0.35	5.42	148
and		94	96.28	2.28	1.2	15.2
KL-16-312	Central Klaza	32.19	32.8	0.61	4.42	118
and		55.15	57.68	2.53	3.01	72.5
incl		55.15	55.97	0.82	6.4	151
and		79.52	80.11	0.59	5.47	46.3
and		82.22	83	0.78	7.18	61.6
and		97	99.67	2.67	2.21	19.4
and		105.49	107.31	1.82	1.5	2.29
KL-16-313	Central Klaza	47	47.6	0.6	4.03	62.6
KL-16-314	Rex	32.61	34	1.39	5.9	1.74
and		39.75	41.17	1.42	10.55	44.7
and		57	58.48	1.48	7.74	23.9
KL-16-315	Central Klaza	6.17	6.77	0.6	2.89	18.6
and		9.88	11	1.12	7.64	94
and		18.18	18.68	0.5	4.77	14
and		21.1	23.61	2.51	2.54	11.6
and		75.17	75.74	0.57	2.03	45.8
and		123.57	124.23	0.66	8	85.9
and		156.7	159.1	2.4	3.55	31.7
incl		158.4	159.1	0.7	11.5	91.6
and		164.6	166.19	1.59	3.2	20
incl		164.6	165.6	1	4.68	28.1

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-16-316	Central Klaza	8.8	14.79	5.99	1.68	23.1
including		8.8	9.46	0.66	8.65	76.7
and		106.15	108.96	2.81	1.72	46.7
including		106.15	106.77	0.62	3.09	71.6
including		108.46	108.96	0.5	5.31	46.1
and		126.85	127.45	0.6	2	84.4
and		157.73	158.77	1.04	6.37	26.5
including		157.73	158.27	0.54	9.54	43.4
KL-16-317	Central Klaza	17.72	22.04	4.32	17.01	121
including		17.72	19.34	1.62	12.45	41.5
including		20.65	22.04	1.39	38	325
and		56	57.34	1.34	2.02	43
including		56.92	57.34	0.42	5.28	131
and		105.77	106.35	0.58	5.15	86.5
and		126.52	127.06	0.54	3.01	45.5
KL-16-318	Central Klaza	16.68	24.77	8.09	3.48	88.4
including		17.75	18.59	0.84	10.35	196
and		24.21	24.77	0.56	33.2	957
and		31.66	32.34	0.68	1.52	39.6
and		36.21	36.8	0.59	5.96	98.1
and		51.43	52.57	1.14	1.5	8.37
and		67.65	68.15	0.5	3.22	49.7
KL-16-319	Central Klaza	60.16	68.19	8.03	1.11	14.3
including		60.16	60.78	0.62	2.2	64.4
including		64.33	65.44	1.11	1.71	7.87
including		67.37	68.19	0.82	5.56	59.8
KL-16-321	Central Klaza	89.65	90.17	0.52	9.85	192
KL-16-323	Central Klaza	61.72	63.62	1.9	4.88	51.4
including		61.72	62.24	0.52	15.25	115
and		135.4	136.5	1.1	4.06	6.96
and		156.26	156.86	0.6	2.53	30.8
and		186.46	189.22	2.76	5.98	40.9
including		186.46	186.88	0.42	18.9	197
including		188.71	189.22	0.51	16.6	55

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		196.23	196.73	0.5	2.8	44
and		272.11	273.26	1.15	1.76	16.6
		274.4	275	0.6	1.94	20.2
KL-16-325	Eastern Klaza	12.52	15.32	2.8	1.74	2.83
including		12.52	13.16	0.64	5.69	7.98
and		45.6	46.16	0.56	3	17.2
and		49.69	50.21	0.52	4.08	10.6
and		88.63	90.72	2.09	3.5	37.2
including		90.06	90.72	0.66	8.82	95.4
and		128.58	130.09	1.51	6.36	299
KL-16-326	Eastern Klaza	27.12	27.6	0.48	3.39	12.4
and		48.2	48.71	0.51	2.79	82.8
and		51.3	52.42	1.12	1.5	117
and		209.5	210.73	1.23	3.39	74.1
KL-16-327	Eastern Klaza	13.48	14.37	0.89	1.51	9.58
and		48.84	51.56	2.72	2.47	6.76
including		48.84	49.5	0.66	8.16	25.3
and		77.31	77.7	0.39	9.91	304
and		85.52	89.34	3.82	1.88	44.4
including		86.34	87	0.66	6	162
KL-16-329	Eastern Klaza	62.4	63.71	1.31	3.08	273
including		62.4	63.17	0.77	4.82	446
and		72.49	74.27	1.78	5.41	129
including		73.72	74.27	0.55	10.15	359
and		109.48	110	0.52	3.15	24.9
KL-16-331	Central Klaza	59	60.05	1.05	4.35	16.2
and		96.66	97.2	0.54	9.64	37.9
and		117.38	117.96	0.58	3.08	34
and		129.05	129.78	0.73	2.48	8.44
KL-16-334	Central Klaza	45.79	47.2	1.41	5.54	95.1
including		45.79	46.2	0.41	14.8	264
and		51.94	52.95	1.01	1.84	95.7
KL-16-335	Central Klaza	56.21	57	0.79	4.38	445

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-16-337	Central Klaza	92	96.4	4.4	4.01	36
including		94.6	96.4	1.8	8.09	84
and		129.07	129.94	0.87	2.61	16.6
and		146.83	147.5	0.67	2.73	16.2
and		152	152.54	0.54	3.07	17.2
and		164.59	167.05	2.46	10.25	52.9
including		165.91	167.05	1.14	19.15	104
KL-16-338	Central Klaza	21.02	25.16	4.14	2.6	22
including		21.02	22.28	1.26	6.76	49.1
and		35.13	35.62	0.49	7.14	73.6
and		53.26	57.74	4.48	2.64	13.7
including		56.97	57.74	0.77	11.6	45.4
and		64.12	67.57	3.45	6.61	74.7
including		64.83	65.28	0.45	31.6	164
including		66.93	67.57	0.64	8.51	222
and	93.24	94.35	1.11	3.03	65.9	
KL-17-339	Central Klaza	18.25	18.7	0.45	1.73	9.18
and		37.98	41.76	3.78	3.79	48.2
incl.		37.98	38.22	0.24	12.75	223
and incl.		41	41.76	0.76	14.75	167
KL-17-341	Central Klaza	25.22	26.05	0.83	36.9	1280
and		35	38.75	3.75	1.79	21.2
and		43.3	43.7	0.40	11.55	305
and		71.01	71.98	0.97	0.24	140
and		73.06	74.93	1.87	0.8	121
KL-17-342	Central Klaza	26.19	26.76	0.57	9.99	63
and		62.77	63.36	0.59	1.5	283
and		66.36	67.15	0.79	1.26	13.3
and		83.5	90.3	6.80	1.41	8.49
and		98.7	103.17	4.47	3.64	89.7
incl.		102.54	103.17	0.63	19.5	554
KL-17-343	Central Klaza	88.4	89.03	0.63	4.61	87.5
and		98.31	103	4.69	4.13	205.1
incl.		101.84	103	1.16	12.65	419

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-17-344	Central Klaza	6.2	7	0.80	7.37	112
and		17.79	18.74	0.95	4.49	57
and		39.2	48.18	8.98	2.09	49.9
incl.		41.43	42.56	1.13	14.1	331
KL-17-345	Central Klaza	8.23	9.48	1.25	1.84	5.36
and		25.55	31	5.45	1.86	24
and		52.67	53.25	0.58	2.36	46.4
KL-17-346	Central Klaza	26.61	29.57	2.96	4.78	22.7
and		40.34	40.68	0.34	6.26	32.6
and		45.19	45.75	0.56	1.1	71.9
and		59.55	61.36	1.81	2.08	12.9
and		66.11	67.27	1.16	1.9	5.21
and		73.46	74.74	1.28	1.78	13.2
and		84.78	86.34	1.56	2.83	41.6
and		110.88	111.65	0.77	1.03	8.1
KL-17-348	Central Klaza	20.42	21.15	0.73	1.09	79.2
and		33.62	35	1.38	1.29	12.8
and		44.32	45.1	0.78	2.29	41
KL-17-349	Central Klaza	26.52	28	1.48	1.18	59.2
and		61.17	62.53	1.36	3.64	109
and		73.25	73.55	0.30	11	203
KL-17-350	Central Klaza	23.66	24.77	1.11	4.28	305
and		56.33	57.1	0.77	1.15	37.7
and		62.38	63.62	1.24	1.24	47.5
and		73.25	74.52	1.27	2.43	91.1
KL-17-351	Central Klaza	37.5	39.53	2.03	1.54	91.6
and		43.56	44.08	0.52	3.7	86.5
KL-17-352	Central Klaza	25.26	25.94	0.68	1.47	31
and		33.39	34.73	1.34	5.2	32.6
and		45.47	45.8	0.33	3.78	8
and		85.42	86.29	0.87	1.87	125
and		114.3	114.63	0.33	21.2	244

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		127.96	128.41	0.45	2.82	14.4
KL-17-353	Central Klaza	9.35	11	1.65	6.1	27.8
and		43.29	44.81	1.52	2.8	87
and		51.63	52.47	0.84	1.03	10
and		92.86	93.43	0.57	5.56	412
and		136.69	137.73	1.04	1.26	3
KL-17-354	Central Klaza	63.81	64.56	0.75	1.8	16.1
and		77	77.85	0.85	1.51	8.33
and		94.85	95.59	0.74	1.01	20.6
and		137.55	142.76	5.21	1.08	11.9
incl.		137.55	139.16	1.61	2.19	25.8
incl.		142.34	142.76	0.42	4.66	40.5
KL-17-355	Central Klaza	39.16	39.65	0.49	14.35	93.5
and		88	88.34	0.34	3.44	142
and		121.14	122.54	1.40	3.03	31
incl.		121.14	121.64	0.50	3.48	59.1
and incl.		122.17	122.54	0.37	6.75	35.5
and		140.3	140.69	0.39	6.17	77.5
KL-17-356	Central Klaza	12.85	14.57	1.72	4.67	48.6
and		23.65	30.63	6.98	3	32.7
incl.		23.65	27.67	4.02	4.81	54.3
and		70.13	71.4	1.27	3.34	84.9
and		150.92	152.09	1.17	1.07	34.1
and		171.85	172.39	0.54	2.16	42
KL-17-357	Pika	81.05	81.53	0.48	1.38	34.9
and		90.09	90.8	0.71	1.18	14.4
KL-17-358	Pika	127	128.21	1.21	7.24	18.5
and		135.03	135.82	0.79	4.52	15.2
and		148.23	148.53	0.30	1.2	3.91
KL-17-359	Central Klaza	49.2	50.57	1.37	4.58	119
and		76.15	76.83	0.68	1.23	42.3
and		88.37	89	0.63	2.04	51.5

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-17-360	Central Klaza	11.8	17.72	5.92	1.86	11.4
incl.		11.8	12.2	0.40	17.45	132
and		30	44.04	14.04	1.25	8.74
incl.		30	30.53	0.53	9.18	34.2
and		107.97	108.28	0.31	2.76	33.1
and		144.17	144.48	0.31	3.19	164
KL-17-361	Pika	77.09	77.49	0.40	6.76	57.8
and		92.05	92.5	0.45	2.21	20.4
KL-17-362	Pika	121	123.22	2.22	6.57	99
and		156.57	157.03	0.46	8.67	28.2
and		180.54	181.59	1.05	3.44	59
KL-17-363	BYG	11.7	12.28	0.58	5.85	173
and		43.07	43.68	0.61	3.82	10.5
	Central Klaza	55.7	57.4	1.70	3.03	27.9
and		56.84	57.4	0.56	6.98	63.5
and		72.73	73.32	0.59	1.81	10.4
and		92.37	92.97	0.60	1.84	21.2
and		132.2	133.75	1.55	1.95	7.24
and		142.64	143.06	0.42	3.38	70.8
and		190.77	191.45	0.68	4.18	158
KL-17-364	AEX	29.28	32	2.72	1	56.9
and	Eastern BRX	107	108	1.00	1.13	28.6
and		129	129.61	0.61	5.39	11.5
and		149.53	150.04	0.51	2.4	161
and		176.79	177.5	0.71	2.78	26.6
and		Pika	196.81	197.41	0.60	1.09
and	245.6		246.03	0.43	2.05	11.2
KL-17-365	Central Klaza	40	40.47	0.47	8.71	25.8
and		51.7	53.28	1.58	7.76	16.2
and		105.37	114.75	9.38	4.08	44.2
incl.		112.82	114.75	1.93	14.14	116
and		124.27	124.81	0.54	4.73	35.5
KL-17-366		47.6	50.5	2.90	7.57	65.6
incl.		47.6	48.28	0.68	20.4	122

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Klaza	69.09	69.45	0.36	21.9	874
and		114.38	114.91	0.53	2.7	168
and		127.53	128.06	0.53	1.07	11
and		145.22	145.74	0.52	11.05	256
and		157.78	158.1	0.32	9.97	441
and		166.8	167.55	0.75	1.19	33.5
and		209.24	210.42	1.18	12.35	81.1
incl.		209.24	209.63	0.39	21.5	32.7
KL-17-367	Eastern BRX	92.29	92.98	0.69	4.34	235
and		96.93	97.26	0.33	1.52	457
and		104.15	104.84	0.69	5.34	109
and		142.36	142.86	0.50	3.24	27.4
and		167.56	168	0.44	5.05	220
and		171.98	172.28	0.30	9.59	594
KL-17-368	Central Klaza	23.24	25.72	2.48	3.56	85.6
incl.		24.86	25.72	0.86	8.22	241
and		39	42	3.00	5.16	16.7
and		102	102.51	0.51	2.04	24.6
and		143.08	143.68	0.60	6.15	50.9
and		181.32	184.63	3.31	1.43	28.6
incl.		184.27	184.63	0.36	10.6	209
and		193.92	194.47	0.55	1.2	7.08
KL-17-369	Eastern BRX	55.8	56.25	0.45	1.4	408
and		57.34	60.33	2.99	1.06	38.5
and		63.76	65.28	1.52	3.81	197
and		123.59	124.59	1.00	1.32	188
and		129.11	131.5	2.39	1.94	1.89
KL-17-370	Central Klaza	13.4	20.34	6.94	4.18	30.1
incl.		13.4	13.7	0.30	27.1	105
incl.		16.16	17.25	1.09	15.02	147
incl.		20.03	20.34	0.31	12.6	21.5
and		25.66	28.2	2.54	3.94	7.64
incl.		27.83	28.2	0.37	19.9	31.2
and		78.94	79.44	0.50	1.23	8.15
and	101.07	101.43	0.36	1.54	34.1	
and	Central Klaza	115.84	117.72	1.88	1.37	29.6

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
	Central Klaza	147.18	148.44	1.26	1.15	41.5
	Central Klaza	159.85	160.44	0.59	10.05	86.6
KL-17-371	Central Klaza	87	87.67	0.67	1.46	37.4
	Central Klaza	106.21	106.7	0.49	3.94	236
	Central Klaza	127.53	129	1.47	1.31	46.7
	Central Klaza	127.53	127.96	0.43	3.12	115
	Central Klaza	130.32	130.71	0.39	1.44	17.6
KL-17-372	AEX	45.88	51.69	5.81	4.41	23
	AEX	49	50.16	1.16	17.1	77.7
	Eastern BRX	83.11	84.11	1.00	1	0.77
	Eastern BRX	121.32	121.76	0.44	12.8	151
	Eastern BRX	182	182.52	0.52	5.51	60.2
	Pika	223.44	227.49	4.05	1.13	32.4
	Pika	223.44	224	0.56	3.72	51.2
	Pika	226.66	227.49	0.83	2.24	102
	Pika	242.1	242.81	0.71	1.27	1.58
KL-17-373	Central Klaza	8	9.11	1.11	1.68	8.07
	Central Klaza	14.93	16.13	1.20	12.09	43.7
	Central Klaza	15.69	16.13	0.44	30.4	111
	Central Klaza	36.93	37.92	0.99	2.71	19.6
	Central Klaza	45.95	46.25	0.30	8.71	52.6
	Central Klaza	112.21	113.36	1.15	1.43	17.3
	Central Klaza	131.42	132.46	1.04	2.33	18.4
	Central Klaza	155.96	157.45	1.49	3.47	15.6
KL-17-374	Central Klaza	33.29	34.2	0.91	2.7	13.9
	Central Klaza	51.97	56.28	4.31	3.15	10.1
	Central Klaza	52.77	53.21	0.44	8.44	37.2
	Central Klaza	55.02	56.28	1.26	6.8	8.39
	Central Klaza	96.12	96.62	0.50	2.44	8.3
	Central Klaza	159.39	160.05	0.66	1.21	14.9
	Central Klaza	169.93	171.2	1.27	3.38	11.5
	Central Klaza	172.82	173.65	0.83	1.31	12.8
KL-17-375	Eastern BRX	18.23	19	0.77	1.42	66.8
	Eastern BRX	70.41	70.85	0.44	2.66	294
	Eastern BRX	126.88	127.35	0.47	17.2	21.6

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Pika	134.7	135.12	0.42	1.78	245
and		149.16	149.66	0.50	1.66	6
and		166.03	166.48	0.45	2.6	103
and		178.2	178.69	0.49	13.2	23
KL-17-376	Central Klaza	5.61	6.03	0.42	2.99	39.3
and		25.66	26.16	0.50	2.65	31
and		77.71	80.63	2.92	7	7.12
incl.		78.78	79.37	0.59	26.7	12.1
and		90.62	91.64	1.02	1.13	4.08
and		99.33	99.94	0.61	182	231
and		112.57	113.12	0.55	1.51	10.8
and		146.92	147.55	0.63	4.04	28.5
and		149.82	150.84	1.02	2.14	7.78
and		172.9	173.88	0.98	1.58	57.2
and		189.43	191.11	1.68	1.75	3.94
and		205.17	206.17	1.00	8.28	101
and		217.22	217.76	0.54	1.3	8.01
and		Central BRX	152.02	152.36	0.34	2.42
and	155.08		156.41	1.33	1.59	30.5
KL-17-378	BYG	34.19	35.66	1.47	2.96	25.2
and	Central Klaza	120	120.55	0.32	2.29	3.46
and		132.25	132.86	0.61	1.18	7.91
and		141.26	142.04	0.78	1.08	5.07
and		145.09	145.76	0.67	5.79	5.26
and		151.74	154.5	2.76	4.5	96
incl.		153.66	154.5	0.84	12.15	231
KL-17-379	Dickson	41.6	41.97	0.37	1.91	15.3
and		55.59	56.57	0.98	3.17	40.4
and	BYG	53.75	54.05	0.30	1.79	33.5
and		68.91	69.31	0.40	12.15	277
and	Central Klaza	190.64	191	0.36	8.34	68.1
and		197.55	201.87	4.32	4.1	46.3
and		225.11	225.44	0.33	4.82	185
and		230.89	231.2	0.31	5.09	103
and		238.4	239.88	1.48	5.21	92
incl.		239.48	239.88	0.40	16.6	321
and		245.97	246.6	0.63	5.92	89.9

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-17-381	Central Klaza	100.48	101.55	1.07	1.42	16.5
and		136.25	136.99	0.74	1.28	6.1
and		147.89	149.29	1.40	6.55	42.3
incl.		148.77	149.29	0.52	16.3	63.1
and		170.3	170.8	0.50	2.19	22.8
and		199.55	199.97	0.42	2.14	138
KL-17-382	Dickson	52.16	52.59	0.43	0.58	345
and		146.89	147.73	0.84	2.09	5.36
and		301.64	302.26	0.62	4.89	38.6
and		322.83	324.88	2.05	2.73	3.05
KL-17-383	Central Klaza	24.53	25.58	1.05	13.38	397
incl.		24.53	25	0.47	22.9	601
and		43.8	44.81	1.01	2.56	12.7
and		93.3	93.8	0.50	1.04	18.8
and		124.26	125.56	1.30	4.07	31.6
incl.		125.26	125.56	0.30	14.3	107
and		133.92	134.52	0.60	5.03	8.63
KL-17-384	Central Klaza	65.76	71.36	5.60	3.09	7.01
incl.		65.76	66.54	0.78	13.2	16.9
and		82.35	82.73	0.38	6.79	54.7
and		95.16	96.65	1.49	5.34	47.6
incl.		96.1	96.65	0.55	12	80.1
and		131.4	132.88	1.48	3.55	23.2
and		142.15	142.73	0.58	1.66	28.4
KL-17-385	Central Klaza	17.95	19	1.05	12.2	57.5
and		26.1	27	0.90	12.6	166
and		38.85	41.2	2.35	4.18	15.9
and		60.66	62.27	1.61	5.22	179
and		81.52	82.2	0.68	7.22	64.6
and		88.9	89.62	0.72	2.59	57.3
KL-17-386	Dickson	251.41	251.74	0.33	1.1	874
and		257.58	258.08	0.50	1.56	444
KL-17-387		65.06	67.35	2.29	2.26	37.3

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Klaza	80.23	80.57	0.34	2.06	30.6
and		86.38	86.86	0.48	2.02	19.4
and		105.97	107.07	1.10	5	111
incl.		105.97	106.37	0.40	12.2	292
and		129.52	130.15	0.63	2.06	71.1
and		134.65	135.08	0.43	4.76	95.7
and		157.5	158.09	0.59	4.5	115
KL-17-388	Central Klaza	51.68	55.42	3.74	10.94	81.7
including		53.48	53.95	0.47	64.8	250
and		102.46	109.55	7.09	2.17	76.3
including		102.66	103.07	0.41	18.8	941
including		109	109.55	0.55	12.25	222
and		118.57	120	1.43	1.51	12.6
and		144.46	145.39	0.93	3.23	14.2
KL-17-389	Central Klaza	77.33	77.83	0.50	1.62	25.8
and		94.81	95.27	0.46	2.46	49
and		144	144.9	0.90	1.57	21.4
and		150.61	151.49	0.88	2.12	28.8
and		154.27	155.77	1.50	1.34	43.4
and		166	173.41	7.41	3.77	24.7
including		168.71	172.4	3.69	6.84	44.5
and		176.35	177	0.65	1.49	14.6
and		187.45	189.84	2.39	1.61	8.81
including		187.45	187.84	0.39	8.39	42.4
and		193	198	5.00	1.63	11.1
including		194.65	195.28	0.63	9.6	51.5
KL-17-390	Chevron	66.87	67.3	0.43	1.24	28.1
and	Dickson	220.84	221.97	1.13	1.33	77.9
and	Dickson	233.24	234.76	1.52	1.32	1.3
KL-17-391	Central BRX	174.94	176.41	1.47	1.86	150
including		176	176.41	0.41	4.57	481
KL-17-392	Central Klaza	58	60.2	2.20	1.27	14.8
and		82.52	83.13	0.61	1.46	106
and		86.64	87.08	0.44	1.49	28.2
and		99.47	101.1	1.63	2.26	32.4

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
	Central BRX	157.92	158.74	0.82	1.94	21.2
and		166.8	168.16	1.36	21.13	116
and		177.1	179.05	1.95	2.73	28.3
and		193.32	194.14	0.82	1.26	37.5
KL-17-393	Central BRX	114	114.91	0.91	2	89.1
KL-17-394	Central BRX	116.31	117	0.69	0.52	44.1
KL-17-395	New Discovery	61.76	63.48	1.72	2.21	7.71
and		112.49	113.06	0.57	1.09	2.5
and		121.06	121.38	0.32	1.31	9.3
and		186.82	187.59	0.77	1.08	10.3
KL-17-396	Western BRX	109.12	116	6.88	13.1	78.7
including		110.45	112.77	2.32	30.8	86.8
including		110.45	110.95	0.50	64.1	177
KL-17-397	Western BRX	67.9	69	1.10	23.9	222
KL-17-398	Western BRX	119.62	126.16	6.54	17.8	257
including		119.62	120.11	0.49	57.9	1055
including		122.62	126.16	3.54	24.35	319
including		124	124.52	0.52	62.6	550
KL-17-399	Bonus	8.09	9.18	1.09	1.7	14.15
and	Western BRX	74.91	75.49	0.58	1.28	26.8
KL-17-400	Bonus	27.14	29.57	2.43	1.32	0.77
and		34.34	35.48	1.14	1.82	8.8
and	Western BRX	100.11	102.64	2.53	9.01	150
including		100.11	100.71	0.60	28.9	416
KL-17-401	Bonus	54.06	57	2.94	3.49	37.1
including		56.56	57	0.44	18.55	189
and	Western BRX	108.63	111.26	2.63	94.09	545
including		109.81	110.72	0.91	196	608
KL-17-402	Western BRX	107.96	108.29	0.33	11.6	105
and		112.86	114.6	1.74	4.44	5.75

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including	Western BRX	114.04	114.6	0.56	12.4	14.15
and		118.78	119.23	0.45	14.65	105
KL-17-403	Central Pearl	57.95	60.04	2.09	1.81	109
and		174.59	184.71	10.12	1.16	18.7
including		174.59	175.35	0.76	6.91	80.2
including		184.14	184.71	0.57	6.75	75.1
and		231.03	231.49	0.46	12.6	312
and		245.36	246.22	0.86	9.43	180
and		275.65	276.93	1.28	1.08	46.6
and		302.83	303.77	0.94	5.63	91.4
and		312.06	312.46	0.40	1.13	15.2
KL-17-404	Bonus	65.34	66.02	0.68	9.23	88.1
and	Western BRX	113.82	115.56	1.74	23.7	652
KL-17-405	Bonus	154.66	155.12	0.46	6.42	97.6
and	Western BRX	192.23	192.75	0.52	29.9	265
KL-17-406	Central Pearl	50.2	50.72	0.52	1.08	9.3
and		192	192.92	0.92	2.18	80.7
and		268.51	269	0.49	6.37	5
KL-17-407	Western BRX	174.91	177.18	2.27	5.98	82.3
including		175.58	176.15	0.57	12.7	93.1
and		187.1	189.28	2.18	16	271
including		188.1	188.82	0.72	35	457
KL-17-408	Western Klaza	52.27	55.53	3.26	2.3	172
including		52.27	52.6	0.33	17.6	1520
KL-17-409	Bonus	149.56	150	0.44	2.09	40.9
and	Western BRX	186.84	194.2	7.36	3.11	150
including		190.77	192.4	1.63	5.85	301
KL-17-411	Western Klaza	49.37	50.06	0.69	2.98	3.4
KL-17-412	Western Klaza	23.74	26	2.26	8.54	674
and		29	29.41	0.41	1.83	131

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-17-413	Western BRX	135.33	136.07	0.74	1.06	23.6
and		139.29	143.68	4.39	4.9	76.1
including		139.29	140.76	1.47	13.81	113
KL-17-414	Western Klaza	64.34	65.35	1.01	6.18	441
including		65.04	65.35	0.31	15.45	1160
KL-17-415	Western Klaza	30	31.3	1.30	2.87	156
including		31	31.3	0.30	8.16	676
and		36.25	36.6	0.35	6.22	507
KL-17-416	Bonus	71.88	72.24	0.36	1.45	131
and	Western BRX	82.05	84.43	2.38	29.7	158
including		82.05	83.24	1.19	56.18	290
KL-17-417	Western BYG	7.96	8.29	0.33	2.09	39.4
and	Western Klaza	124.51	125.46	0.95	1.65	54.4
KL-17-419	Western BYG	21.69	22.3	0.61	1.32	74.5
and	Western Klaza	115.86	118.55	2.69	8.91	452
including		117.54	118.55	1.01	22.55	927
KL-17-421	Central Klaza	59.43	60.12	0.69	1.18	5.98
and		102.33	103	0.67	3	159
and		139.81	140.69	0.88	1.85	648
and		186.8	191.85	5.05	1.43	24
KL-17-422	Western BRX	50.06	51.15	1.09	37.21	402
and		60.33	61.04	0.71	9.94	762
KL-17-423	Western BRX	30.01	30.67	0.66	6.27	59.8
and		40.03	40.68	0.65	1.25	3.58
KL-17-424	Western BRX	46.8	47.57	0.77	2.82	15.6
KL-17-425	Central Klaza	44.6	46.65	2.05	2.19	45
and		50.12	50.76	0.64	2.02	20.4
KL-17-426	Central BRX	65.7	67.05	1.35	3.13	67.2

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-17-427	Central Klaza	47.42	48.36	0.94	1.03	2.36
and		55.33	64.85	9.52	1.2	22.1
including		58.85	59.47	0.62	13.8	304
and		98.04	99.18	1.14	2.9	7.24
and		116.55	117.03	0.48	5.51	483
KL-17-428	Central BRX	4.15	4.63	0.48	1.87	38.2
and		55.44	57.6	2.16	7.76	641
including		56.5	56.91	0.41	25.7	1600
and		65.82	66.31	0.49	1.34	83
KL-17-429	Central BRX	50.56	51.66	1.10	3.69	285
including		50.56	50.9	0.34	10.2	372
KL-17-430	Central Klaza	25.42	27.27	1.85	1.06	16.5
and		38.48	39.14	0.66	2.02	86.1
and		40.15	40.73	0.58	1.27	6.35
KL-17-431	Central BRX	36.34	38.71	2.37	2.52	18.15
KL-17-432	REX	32.37	34	1.63	1.07	5
and		59.63	60.18	0.55	1.71	8
KL-17-434	REX	18.74	19.35	0.61	9.31	7
and		29.45	31.34	1.89	1.3	4.72
and		41.4	43.23	1.83	1.14	8.4
KL-19-435	Eastern Zones	6.1	9.66	3.56	1.63	21.5
and		31.88	32.3	0.42	5.26	72.8
and		41.79	42.09	0.3	10.7	15.2
and		70.46	70.96	0.5	11.5	90.4
and		89.31	89.89	0.58	1.2	9.9
and		98.92	99.75	0.83	3.23	106
and		101.92	102.57	0.65	1.24	4.2
KL-19-436	Central Pearl	125	125.6	0.6	1.45	24.6
and		158.59	159.75	1.16	1.45	39
and		192.42	194.45	2.03	1.42	24.3
and		196.84	197.7	0.86	1.76	20
and		228.17	229.65	1.48	1.57	238

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
including		228.17	228.61	0.44	4.27	656
and		236.15	236.41	0.26	2.28	105
and		238.88	239.69	0.81	1.14	31.3
KL -19-437	Eastern Zones	30.52	31.07	0.55	1.81	21.4
and		33.12	33.75	0.63	1.7	18
and		64.22	65	0.78	1.11	19.6
and		102.68	103.12	0.44	3.36	12.6
KL -19-438	Eastern Zones	16.97	17.3	0.33	8.89	516
and		77.23	77.57	0.34	1	93.9
and		111.6	111.92	0.32	4.2	19.2
and		114.18	114.49	0.31	5.7	226
KL-19-439	Central Pearl	11.03	11.59	0.56	1.04	0.8
and		262.8	263.34	0.54	3.73	1.7
and		266.63	268.23	1.6	5.28	1054
including		267.13	267.73	0.6	11.05	668
and		272.39	272.8	0.41	2.02	21.2
and		278.64	279.41	0.77	2.62	5.2
and		286.51	286.81	0.3	0.12	384
KL -19-440	Eastern Zones	34.92	35.54	0.62	3.66	8.3
and		48.54	48.84	0.3	8.74	24.4
and		94.35	94.65	0.3	3.58	50.9
and		100.77	101.32	0.55	1.6	7.7
and		105.16	105.46	0.3	1.83	4.3
KL -19-441	Eastern Zones	31.82	32.64	0.82	1.31	60
and		63.29	65.57	2.28	3.07	13.7
incl.		63.29	63.66	0.37	13.85	25.5
incl.		65.09	65.57	0.48	3.52	39.4
KL -19-442	Eastern Zones	44.67	45.68	1.01	1.4	12.2
and		48.33	48.64	0.31	3.19	44.8
and		54.4	54.7	0.3	1.3	11.1
and		90	90.35	0.35	1.29	0.7
and		93.34	93.75	0.41	1.32	7.8
KL-19-443		50.29	50.92	0.63	6.17	157

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Pearl	64.01	64.6	0.59	1.91	11.4
and		79.84	80.3	0.46	1.48	60.7
and		177.8	178.31	0.51	1.5	41.8
and		193.55	194.57	1.02	2.82	78.9
and		233.45	235.61	2.16	0.89	43.4
and		288.2	289	0.8	2.45	54.2
and		300.68	301.28	0.6	2.75	9.7
KL -19-444	Eastern Zones	36.86	37.26	0.4	1.94	9.1
and		52.6	52.9	0.3	1.04	14.8
and		88.97	89.27	0.3	1.58	10.2
and		96.57	96.9	0.33	1.84	102
and		118.94	119.26	0.32	3.07	23.8
KL -19-445	Eastern Zones	15.7	16	0.3	1.2	3.1
and		18.52	18.82	0.3	2.48	17.1
and		108.43	108.84	0.41	7.83	66.2
and		115.37	115.71	0.34	3.18	42.2
and		119.8	120.1	0.3	8.84	6.4
KL -19-446	Eastern Zones	52	55	3	0.7	6.6
incl.		52	52.6	0.6	1.22	10.9
and		127.38	127.68	0.3	3.44	18.2
KL -19-447	Eastern Zones	28.35	28.65	0.3	2.93	7.9
and		31.2	31.5	0.3	2.28	18.2
and		49.1	51.15	2.05	2.52	111
incl.		50.6	51.15	0.55	7.18	325
and		55.84	57.5	1.66	2.61	157
incl.		57.2	57.5	0.3	8.37	399
and		84.4	85	0.6	1.36	31.8
and		118.73	119.18	0.45	1.83	13
KL -19-448	Eastern Zones	12.63	13.17	0.54	1.42	23.7
and		47.35	47.65	0.3	1.2	24.3
and		71.54	71.84	0.3	1.4	8.7
and		101.1	101.86	0.76	1.96	37.4
and		117.65	137.19	19.54	0.58	9.2
incl.		118.5	119.5	1	2.87	22.5
incl.		127.5	128.6	1.1	1.41	16.2

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
incl.		135	136	1	1.25	14.6
incl.		136.5	137.19	0.69	1.04	23.8
and		149.85	150.5	0.65	1.3	3.5
KL-19-449		56.12	56.8	0.68	5.08	67.7
and		102.85	103.82	0.97	1.27	8.1
and		115.92	118	2.08	2.49	2.8
and		125.2	126.1	0.9	7.11	58.7
and		133.84	134.3	0.46	3.72	1020
and	Central Pearl	149.05	149.35	0.3	3.48	8.5
and		174.14	175	0.86	2.39	43
and		181.72	183.65	1.93	1.73	72.9
and		200.77	201.17	0.4	0.94	271
and		268.54	269	0.46	3.03	103
and		283.16	283.54	0.38	2.33	377
KL -19-450		73.1	102.5	29.4	0.67	8.7
incl.	Eastern Zones	73.1	74.2	1.1	4.63	66
incl.		81.5	84	2.5	1.21	14.6
incl.		92.96	93.72	0.76	4.6	51.1
incl.		100	102.5	2.5	1.27	6.2
KL -19-451		96.2	97.2	1	1.98	4.6
and	Eastern Zones	105.2	105.86	0.66	1.18	2
and		115.28	118	2.72	3.43	20.4
incl.		116.47	117.19	0.72	9.6	36.3
KL -19-452		31.87	34.25	2.38	1.47	46.9
incl.	Eastern Zones	31.87	32.4	0.53	4.38	162
and		96.6	100.4	3.8	1.09	27.4
and		158.79	159.25	0.46	2.61	14.1
and		165.15	165.9	0.75	2.15	14.9
KL -19-453		46.25	46.55	0.3	1.2	3.4
and	Eastern Zones	77.28	77.8	0.52	1.64	26.4
and		85.07	85.37	0.3	1.84	11.8
and		89	90.47	1.47	0.85	92.9
and		109.4	111.35	1.95	1.59	83.5
incl.		109.4	109.83	0.43	4.33	306

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL -19-454	Eastern Zones	84.45	84.85	0.4	1	23
and		99.85	100.4	0.55	15.9	74.6
and		146.5	148.3	1.8	1.14	5
KL-19-455	Western Pearl	203.14	203.44	0.3	2.65	93.9
and		260.93	261.24	0.31	7.97	834
and		266.28	266.79	0.51	1.77	27.7
and		333.53	334.79	1.26	3.29	3.7
and		360.36	361	0.64	0.36	217
KL -19-456	Eastern Z.	113.75	114.6	0.85	2.21	7.5
and		121.4	122.3	0.9	1.34	377
KL -19-457	Eastern Zones	17.1	18.4	1.3	1.17	1.4
and		23.7	26.2	2.5	1.88	6.2
incl.		23.7	24.4	0.7	4.7	3.4
and		31.25	32	0.75	4.17	68.9
and		85	86.26	1.26	1.24	17.4
and		99.27	100.05	0.78	2.49	5.4
and		103.73	104.14	0.41	1.54	9.9
and		105.6	106.3	0.7	1.11	2.9
KL -19-458	Eastern Zones	88.33	88.66	0.33	5.41	39.8
and		108.95	109.33	0.38	1.87	5
and		125.81	126.35	0.54	1	9
KL-19-459	Western Pearl	181	181.91	0.91	6.52	235
KL -19-460	Eastern Zones	28.31	29	0.69	19.4	240
and		49.5	50.3	0.8	3.53	2.9
and		69.4	70	0.6	1.94	22.3
and		83.82	84.25	0.43	10.75	51.8
KL -19-461	Eastern Zones	25.5	26.3	0.8	1.2	36.4
and		59.75	60.1	0.35	2.17	23.8
and		71.7	73.2	1.5	4.04	3.2
and		95.9	96.39	0.49	2.19	13
KL-19-462	Western Pearl	232.43	233.26	0.83	1.49	14.4

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL -19-463	Eastern Zones	43	44.5	1.5	3.38	5
and		51.15	53.7	2.55	1.95	11.5
incl.		51.15	51.45	0.3	13.3	57.6
and		80	82.8	2.8	2.26	0.9
incl.		80	80.3	0.3	19.05	4.8
and		99.35	99.65	0.3	2.05	16.8
and		104.05	106.25	2.2	1.25	9.3
and		108.3	109	0.7	1.1	17
KL -19-464	Eastern Zones	27.9	28.48	0.58	3.89	225
and		62.8	63.1	0.3	1.19	26.8
and		91.4	93.65	2.25	1.53	3.5
incl.		93.35	93.65	0.3	7.33	9.8
and		125.8	127.25	1.45	2.35	397
incl.		126.42	127.25	0.83	3.64	691
KL -19-465	Eastern Dickson	74.63	81.68	7.05	1.53	10.2
incl.		74.63	74.93	0.3	11.4	48.2
incl.		80.35	81.68	1.33	4.15	23.1
and		128.43	128.79	0.36	1	81.8
KL -19-466	Eastern Zones	6.91	8	1.09	8.5	10.6
and		14.65	15.38	0.73	1.1	17.2
and		25.34	26	0.66	1.1	50.5
and		29	29.63	0.63	1.06	8.1
and		68.55	69.44	0.89	1.1	10.1
KL -19-467	Eastern Chevron	6.75	7.45	0.7	1.18	8.6
and		24.38	24.72	0.34	2.47	257
and		55.15	57.3	2.15	1.56	8
and	Eastern Dickson	89.27	90	0.73	3.72	18
and		96.2	96.82	0.62	1.24	38.5
and		102.56	103.18	0.62	1.07	36.8
and		124.58	125.08	0.5	6.49	17.8
and		149.92	150.74	0.82	1.2	2.6
KL-20-468	Rusk	65.38	65.94	0.56	1.05	19.45
and		162.75	163.35	0.6	1.26	104
and		191.91	192.56	0.65	2.94	24.7
and		228.6	229.33	0.73	1.11	2.53

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		260.55	261.1	0.55	0.96	121
and		325.6	326.7	1.1	1.08	1.6
and		337	338.35	1.35	2.49	3.36
KL-20-469	Rusk	82.63	83.63	1	2.1	656.6
KL-20-470		35.4	45.2	9.8	1.42	30.66
incl.		35.4	36.15	0.75	4.51	118
and incl.		40.06	41	0.94	4.67	122
and	Rusk	59	61.4	2.4	2.56	61.44
incl.		60	60.4	0.4	12.3	276
and		97.82	98.3	0.48	2.22	35.1
and		123.9	124.53	0.63	16.35	321
KL-20-471		59.5	61.5	2	2.26	227.43
incl.	Rusk	61	61.5	0.5	7.08	884
and		201	206.65	5.65	2.05	129
and		217.2	217.7	0.5	0.45	705
KL-20-473		53.5	56.7	3.2	1.37	279.98
incl.	Rusk	53.5	54.2	0.7	4.43	1230
and		115.8	117.17	1.37	6.17	229.76
incl.		116.67	117.17	0.5	16.15	581
KL-20-475		132.6	136	3.4	0.58	147.05
incl.	Rusk	132.6	133.1	0.5	1.14	712
and		177.5	178	0.5	1.3	288
and		227.87	228.47	0.6	2.07	4.51
KL-20-476		266.3	266.8	0.5	2.1	40.6
and	Rusk	269.75	270.55	0.8	1.34	128
KL-20-477		88	88.5	0.5	1.49	6.25
and		118.7	119.25	0.55	4.5	235
and		128.8	130.09	1.29	2.37	24.9
and	Pearl	162.4	163.5	1.1	1.48	49.5
incl.		163	163.5	0.5	2.32	95
and		185.8	186.3	0.5	1.77	186
and		207.95	208.5	0.55	1.035	31.8

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-20-478	Rusk	290	291.5	1.5	1.3	8.12
KL-20-479	Pearl	185.1	185.6	0.5	1.63	78.5
and		223.55	224.05	0.5	2.59	256
and		237.45	237.95	0.5	2.42	185
and		249.65	250.15	0.5	4.49	22.3
and		260.4	260.9	0.5	2.09	37.1
and		281.1	281.6	0.5	1.86	53
and		283	283.5	0.5	1.18	45.1
and		306.2	306.7	0.5	1.27	9.5
KL-20-480	Pearl	21.13	22.63	1.5	2.41	54.7
incl.		21.13	21.63	0.5	6.28	35.5
and		60	60.5	0.5	1.89	28.7
and		135	135.5	0.5	4.75	460
and		151.45	151.95	0.5	1.46	12.35
and		157	157.5	0.5	1.68	6.06
and		162.25	162.75	0.5	1.54	98.1
and		165.05	165.55	0.5	1.04	49
and		175.25	175.75	0.5	1.18	52.3
and		192.3	192.8	0.5	3.13	12.45
and		204.85	209.6	4.75	1.2	64.7
incl.		204.85	206.45	1.6	2.04	97.9
and incl.		209.3	209.6	0.3	7.49	488
and		242.35	242.75	0.4	59.8	425
KL-20-482	Victoria	244.3	244.6	0.3	1.28	4.4
and		296.75	297.55	0.8	3.65	52.51
incl.		296.75	297.05	0.3	9.4	128
KL-20-483	Etzel	130.54	131.5	1.5	9.69	82.74
incl.		130.54	131.5	0.96	12.8	58.4
and		148	149	1	1.16	8.94
and		182.4	182.9	0.5	2.31	13.05
and		245	248	3	1.7	16.28
incl.		246	246.5	0.5	6.11	57.7
KL-20-484	Etzel	6.15	87.78	81.63	0.25	17.21
incl.		22.5	24	1.5	1.12	0.29
and incl.		78.25	79.75	1.5	0.13	838

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and incl.		85	86.5	1.5	1.56	8.36
KL-20-485	Victoria	5.5	7.5	2	2.68	17
incl.		7	7.5	0.5	9.8	50.2
and		115.6	116.1	0.5	1.08	29.8
and		130.1	130.6	0.5	1.48	235
and		155.6	156.1	0.5	1.82	1.9
KL-20-487	Central Klaza	149.1	150.1	1	1.12	27.9
and		234.3	238.2	3.9	1.2	9.95
incl.		237.5	238.2	0.7	4.08	46.2
and		275.4	277.45	2.05	1.49	82.76
incl.		276.9	277.45	0.55	4.68	303
and		308.75	309.25	0.5	1.52	9.16
and		413.6	414.95	1.35	1.66	7.98
and		487.65	488.15	0.5	1.74	61.9
and		515.6	516.1	0.5	5.09	8.17
and		528.1	530.1	2	3.18	43.52
incl.		528.1	528.6	0.5	5.03	74.5
and		607.9	608.3	0.4	2.13	382
and		614.83	615.83	1	1.55	182.82
and		687.75	688.15	0.4	2.39	22.3
and		775.56	776.06	0.5	1.24	8.49
KL-20-488	Etsel	124	124.5	0.5	1.57	9.97
and		127.35	128	0.65	1.37	0.52
and		168.9	169.4	0.5	2.56	51.6
KL-20-489	Etsel	5.79	168.3	162.51	0.15	0.7
incl.		152.25	153.31	1.06	2.81	0.95
KL-21-491	W.BRX EXT.	5.05	6.00	0.95	0.29	144
and		114.80	115.31	0.51	0.12	79.1
KL-21-492	W.BRX EXT.	176.78	177.32	0.54	0.01	1,160.00
KL-21-497	W.BRX EXT.	125.50	126.00	0.50	1.01	110
KL-21-501	W.Chevron	109.73	110.60	0.87	2.69	171

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-21-507	Central BRX	34.97	45.35	10.38	1.11	52.6
<i>incl.</i>		34.97	35.77	0.80	4.91	444
<i>and incl.</i>		43.80	44.58	0.78	6.86	87
KL-21-508	Central BRX	36.44	37.70	1.26	6.92	172
<i>incl.</i>		37.00	37.70	0.70	10.90	289
KL-21-509	Central BRX	33.30	46.72	13.42	1.37	78.6
<i>incl.</i>		35.00	36.61	1.61	5.69	396
<i>and incl.</i>		43.48	46.72	3.24	2.11	106
KL-21-510	Central BRX	33.74	38.50	4.76	1.47	37.8
<i>incl.</i>		38.00	38.50	0.50	9.53	153
KL-21-511	Central BRX	54.37	55.18	0.81	13.50	111
KL-21-512	Central BRX	52.10	53.48	1.38	3.14	554
<i>incl.</i>		52.78	53.48	0.70	3.67	1,060.00
and		63.13	64.17	1.04	1.38	67.9
KL-21-513	Western Chevron	91.74	92.96	1.22	1.03	78.7
KL-21-514	Central Klaza	84.16	84.66	0.50	3.42	7.5
and		107.00	109.66	2.66	1.78	10.4
<i>incl.</i>		109.16	109.66	0.50	7.46	32.5
KL-21-515	Central Klaza	22.35	22.82	0.47	9.02	190
and		124.97	127.76	2.79	2.46	3.4
and		140.72	142.93	2.21	3.45	19.9
and		175.38	176.07	0.69	9.56	31.3
and		195.45	196.00	0.55	3.92	1,225.00
and		206.83	207.84	1.01	1.65	20.6
and		238.50	239.00	0.50	16.20	95.9
KL-21-516	Western Chevron	99.00	99.63	0.63	4.25	35
KL-21-518		108.40	109.03	0.63	5.31	37.4
and		171.95	182.00	10.05	1.55	9.8

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
<i>incl.</i>	Central Klaza	171.95	176.10	4.15	2.09	15.4
<i>and incl.</i>		179.50	180.00	0.50	11.65	57
and		196.30	196.80	0.50	4.75	53.2
KL-21-519	Western BRX	361.54	362.71	1.17	12.65	59.6
<i>incl.</i>		362.16	362.71	0.55	24.10	66.6
KL-21-520	Central Klaza	22.93	23.29	0.36	2.70	632
and		101.50	103.00	1.50	3.90	32
and		160.90	164.15	3.25	2.40	7
<i>incl.</i>		161.54	162.05	0.51	11.00	35
and		175.26	175.91	0.65	3.70	12
and		221.42	223.21	1.79	4.10	90
and		231.13	231.65	0.52	5.50	37
KL-21-521	Western BRX	305.00	306.70	1.70	0.70	41.8
KL-21-522	Central Klaza	194.96	196.60	1.64	1.50	4
and		207.64	208.37	0.73	5.70	21
and		221.41	225.46	4.05	0.90	47
and		241.57	242.96	1.39	1.20	7
and		257.15	258.40	1.25	5.30	120
and		308.71	309.72	1.01	3.50	9
and		325.87	326.28	0.41	0.90	444
KL-21-523	Rusk	117.67	118.81	1.14	2.80	72
and		126.86	127.73	0.87	1.50	43
and		138.15	140.41	2.26	5.00	336
and		190.01	190.98	0.97	1.30	70
KL-21-524	Western BRX	333.83	335.53	1.70	10.20	228.1
and		341.49	342.86	1.37	15.04	234.7
<i>incl.</i>		342.43	342.86	0.43	35.70	691
KL-21-525	Central Klaza	109.50	110.00	0.50	2.30	25
and		115.50	119.30	3.80	1.40	12
and		124.60	125.83	1.23	6.10	259
and		137.76	144.50	6.74	1.00	17

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and	Central Klaza	147.83	148.50	0.67	3.00	14
and		175.88	176.56	0.68	4.50	11
and		181.80	186.67	4.87	7.60	28
<i>incl.</i>		<i>181.80</i>	<i>182.47</i>	<i>0.67</i>	<i>47.30</i>	<i>158</i>
KL-21-526	Western BRX	77.70	79.72	2.02	24.38	805.3
<i>incl.</i>		78.19	79.72	1.53	30.96	835.8
KL-21-527	Western BRX	67.83	68.58	0.75	2.03	54.1
and		93.79	94.31	0.52	4.96	15.2
and		166.12	172.71	6.59	5.25	143.1
<i>incl.</i>		<i>166.49</i>	<i>168.48</i>	<i>1.99</i>	<i>16.70</i>	<i>355</i>
KL-21-528	Rusk	12.13	14.49	2.36	1.60	108
and		32.18	35.35	3.17	1.40	56
and		60.77	62.10	1.33	1.10	174
and		67.06	71.63	4.57	0.50	45
<i>incl.</i>		<i>67.06</i>	<i>67.66</i>	<i>0.60</i>	<i>1.20</i>	<i>176</i>
<i>incl.</i>		<i>71.10</i>	<i>71.63</i>	<i>0.53</i>	<i>1.20</i>	<i>176</i>
and		108.47	113.16	4.69	1.10	128
<i>incl.</i>		<i>112.05</i>	<i>113.16</i>	<i>1.11</i>	<i>2.30</i>	<i>475</i>
and		124.95	126.32	1.37	1.30	52
and		206.17	207.85	1.68	1.60	83
KL-21-529	Western BRX	12.19	12.74	0.55	11.95	78.7
and		17.10	19.46	2.36	0.97	29
and		68.08	70.54	2.46	11.04	201.8
<i>incl.</i>		<i>69.66</i>	<i>70.54</i>	<i>0.88</i>	<i>28.00</i>	<i>478</i>
KL-21-530	Central Klaza	130.62	135.62	5.00	1.30	22
and		147.94	148.90	0.96	3.00	12
and		169.75	170.25	0.50	15.10	332
and		178.17	178.63	0.46	4.50	113
and		191.15	192.00	0.85	2.40	67
and		197.13	210.00	12.87	2.60	30
<i>incl.</i>		<i>197.13</i>	<i>199.48</i>	2.35	10.70	130
<i>and incl.</i>		<i>203.13</i>	<i>204.14</i>	<i>1.01</i>	<i>4.50</i>	<i>33</i>
<i>and incl.</i>		<i>209.45</i>	<i>210.00</i>	<i>0.55</i>	<i>5.50</i>	<i>72</i>

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
and		241.70	242.57	0.87	2.80	27
KL-21-531	Western BRX	22.73	28.45	5.72	3.08	10.2
<i>incl.</i>		28.00	28.45	0.45	30.60	105
and		54.86	55.57	0.71	17.75	100
and		66.47	67.06	0.59	32.60	392
KL-21-532	Western BRX	49.64	50.58	0.94	52.60	279
KL-21-533	Western BRX	52.46	53.56	1.10	3.95	4.51
and		81.15	82.97	1.82	8.95	48.2
<i>incl.</i>		82.17	82.97	0.80	19.20	99.4
and		153.63	161.17	7.54	0.98	120.7
<i>incl.</i>		153.63	154.17	0.54	6.57	113
<i>and incl.</i>		160.57	161.17	0.60	3.80	1310
KL-21-534	Rusk	17.28	17.78	0.50	1.20	247
and		65.64	66.80	1.16	0.20	555
and		93.87	94.37	0.50	2.30	124
and		102.75	109.71	6.96	1.30	28
<i>incl.</i>		102.75	103.33	0.58	6.80	43
<i>and incl.</i>		108.00	109.71	1.71	2.80	93
and		151.30	152.18	0.88	1.90	32
and		153.55	156.11	2.56	1.30	49
and		199.34	200.89	1.55	1.00	52
KL-21-535	Central Klaza	50.50	51.00	0.50	7.40	42
and		89.92	90.75	0.83	4.50	28
and		105.10	105.60	0.50	2.50	42
and		113.10	116.20	3.10	1.20	21
and		125.07	126.36	1.29	6.00	218
and		148.22	151.25	3.03	4.80	22
and		166.80	168.10	1.30	1.70	20
KL-21-536	Western BRX	234.23	236.64	2.41	10.74	100.3
<i>incl.</i>		234.23	235.00	0.77	15.50	256
<i>and incl.</i>		235.83	236.64	0.81	16.45	44.7

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-21-537	Western Klaza	158.00	159.00	1.00	2.10	432.00
KL-21-538	Rusk	65.43	65.76	0.33	0.60	130
and		102.97	103.42	0.45	1.80	64
and		149.35	150.30	0.95	2.60	37
and		154.96	155.33	0.37	2.50	95
KL-21-539	Central BRX	158.00	159.98	1.98	1.30	158
KL-21-540	W. Klaza	246.34	247.15	0.81	5.60	446
and		256.00	256.74	0.74	23.70	391
KL-21-541	Central BRX	139.33	139.74	0.41	5.40	212
and		149.80	150.36	0.56	9.50	100
KL-21-542	Rusk	55.35	55.87	0.52	1.40	65
and		136.10	144.00	7.90	2.20	43
<i>incl.</i>		<i>138.58</i>	<i>144.00</i>	5.42	3.10	62
<i>and incl.</i>		<i>138.58</i>	<i>139.49</i>	<i>0.91</i>	<i>9.10</i>	<i>177</i>
and		149.00	149.75	0.75	2.80	5
and		164.51	165.79	1.28	2.80	25
<i>incl.</i>		<i>165.36</i>	<i>165.79</i>	<i>0.43</i>	<i>7.00</i>	<i>41</i>
KL-21-543	Central BRX	53.47	64.01	10.54	1.00	58
<i>incl.</i>		54.60	55.10	0.50	1.90	216
<i>and incl.</i>		63.50	64.01	0.51	15.60	142
KL-21-544	W. Klaza	190.84	192.50	1.66	1.00	104
KL-21-545	Central BRX	23.89	24.68	0.79	0.70	134
and		93.17	97.09	3.92	2.20	106
KL-21-547	Rusk	36.89	38.61	1.72	3.20	57
and		70.45	71.18	0.73	2.20	41
and		74.14	77.10	2.96	1.60	17
<i>incl.</i>		<i>75.92</i>	<i>77.10</i>	<i>1.18</i>	<i>2.90</i>	<i>16</i>
KL-21-548	Central BRX	111.07	112.38	1.31	13.50	826

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-21-549	Central BRX	99.69	100.09	0.40	2.20	181
KL-21-550	Central BRX	124.00	125.05	1.05	4.50	423
KL-21-551	Central BRX	118.32	125.38	7.06	1.20	68
<i>incl.</i>		<i>118.32</i>	<i>119.55</i>	<i>1.23</i>	<i>3.20</i>	<i>189</i>
<i>and incl.</i>		<i>124.28</i>	<i>125.38</i>	<i>1.10</i>	<i>4.30</i>	<i>220</i>
KL-21-552	Central BRX	17.74	18.51	0.77	0.40	143
and		114.20	115.55	1.35	2.20	96
and		123.65	124.58	0.93	1.80	16
KL-21-553	AEX Central BRX	5.75	13.40	7.65	1.50	5
<i>incl.</i>		<i>11.80</i>	<i>12.33</i>	<i>0.53</i>	<i>11.30</i>	<i>30</i>
and		128.90	137.16	8.26	4.30	77
<i>incl.</i>		<i>130.29</i>	<i>130.88</i>	<i>0.59</i>	<i>27.30</i>	<i>205</i>
KL-21-554	Central BRX	129.85	131.92	2.07	2.40	48
<i>incl.</i>		<i>129.85</i>	<i>130.31</i>	<i>0.46</i>	<i>9.30</i>	<i>163</i>
KL-21-555	E. Klaza	171.75	172.60	0.85	3.60	20
KL-21-556	E. Klaza	74.30	75.35	1.05	3.00	487
and		86.22	86.73	0.51	3.80	25
and		105.30	107.15	1.85	8.60	8
and		124.42	125.38	0.96	1.50	25
and		144.00	145.07	1.07	1.70	3
KL-21-557	E. Klaza	85.49	86.81	1.32	0.60	102
KL-21-558	Rusk	60.98	67.71	6.73	1.10	56
<i>incl.</i>		<i>67.24</i>	<i>67.71</i>	<i>0.47</i>	<i>9.40</i>	<i>491</i>
and		84.80	88.96	4.16	1.00	50
<i>incl.</i>		<i>87.94</i>	<i>88.96</i>	<i>1.02</i>	<i>2.50</i>	<i>160</i>
and		124.50	124.85	0.35	0.70	189
and		133.42	134.97	1.55	0.90	52

Hole ID	Zone ID	From (m)	To (m)	Interval (m) <small>True widths are estimated to be 80-90% of the interval</small>	Gold (g/t)	Silver (g/t)
KL-21-559	Rusk	148.25	153.57	5.32	2.20	69
<i>incl.</i>		<i>149.85</i>	<i>150.44</i>	<i>0.59</i>	<i>6.00</i>	<i>309</i>
KL-21-560	Rusk	32.66	33.12	0.46	0.60	186
and		81.88	83.31	1.43	1.40	12
and		90.08	98.80	8.72	1.20	20
and		126.16	126.62	0.46	2.20	31
KL-21-561	Rusk	83.29	83.75	0.46	3.50	119
and		96.76	97.08	0.32	3.30	107